

Versio 1.2		Revision Date: 21.06.2021		S Number: 0000013380	Date of last issue: 18.11.2020 Date of first issue: 12.11.2020
SECT	ION 1	. PRODUCT AND COM	ЛРА	NY IDENTIFICAT	ION
Product name Product code		:	TOOLBOX ADH/ 100000013380	SEAL BLACK	
Ν	/lanufa	acturer or supplier's d	leta	ils	
С	Compa	ny	:	H.B. Fuller Comp	bany Australia Pty. Ltd.
A	Addres	S	:	16-22 Red Gum	Drive Dandenong South, VIC 3175
Т	elepho	one	:	+611800423855	
E	Emerge	ency telephone number	• :	1800 033 111(Al	J) 0800 734 607(NZ)
		mended use of the ch mended use	-	<b>ical and restrictio</b> Construction adh	
R	Restric	ions on use	:	For industrial use	e only.

### **SECTION 2. HAZARDS IDENTIFICATION**

#### **GHS Classification**

Not a hazardous substance or mixture.

#### **GHS** label elements

Not a hazardous substance or mixture.

#### Other hazards which do not result in classification

None known.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
calcium carbonate	471-34-1	>= 60 -<= 100
dibutyltin dilaurate	77-58-7	< 0.3



Version 1.2	Revision Date: 21.06.2021		DS Number: 00000013380	Date of last issue: 18.11.2020 Date of first issue: 12.11.2020			
SECTIO	N 4. FIRST AID MEASUR	RES					
General advice		:	Show this safety data sheet to the doctor in attendance.				
If inhaled		:	Move to fresh air. If symptoms persist, call a physician.				
In case of skin contact		:	Wash off with soa Cool melted prod move solidified p	uct on skin with plenty of water. Do not re-			
In case of eye contact		:	In the case of contact with eyes, rinse immediately with pler of water and seek medical advice.				
If swallowed		:		miting. Seek medical attention if symptoms medical care provider with this SDS.			
	t important symptoms effects, both acute and lyed	:	None known.				
Note	es to physician	:	Use mineral oil to	soften and loosen product for removal.			

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide.
Unsuitable extinguishing media	:	Do NOT use water jet.
Specific hazards during fire- fighting	:	Burning produces irritant fumes.
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Refer to protective measures listed in sections 7 and 8.
Methods and materials for containment and cleaning up	:	Allow to solidify.



VersionRevision Date:SDS Number:Date of last issue: 18.11.20201.221.06.2021100000013380Date of first issue: 12.11.2020		
--	--	--

#### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	None known.
Advice on safe handling	:	Avoid breathing vapors/fumes of heated product. Prevent contact with molten product.
Conditions for safe storage	:	Keep in a dry, cool place.
Materials to avoid	:	No special restrictions on storage with other products.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis				
		(Form of	ters / Permissible					
		exposure)	concentration					
calcium carbonate	471-34-1	TWA	10 mg/m3	AU OEL				
		nation: This valu	e is for inhalable dust e silica	containing no				
dibutyltin dilaurate	77-58-7	TWA	0.1 mg/m3	AU OEL				
,			(Tin)					
	Further inform	nation: Skin abs	orption					
		STEL	0.2 mg/m3 (Tin)	AU OEL				
	Further inform	Further information: Skin absorption						
		TWA	0.1 mg/m3 (Tin)	AU OEL				
	Further inform	ups are classi-						
		fied as carcinogenic or as sensitisers. Check individual class						
	tion details or	tion details on the safety data sheet for information o						
	tion., Skin ab	tion., Skin absorption						
		STEL	0.2 mg/m3	AU OEL				
			(Tin)					
			mpounds in these gro					
			nsitisers. Check individ					
			sheet for information	on classifica-				
	tion., Skin ab							
		TWA	0.1 mg/m3 (Tin)	ACGIH				
		STEL	0.2 mg/m3 (Tin)	ACGIH				
		TWA	0.1 mg/m3	ACGIH				



	10	0000013380	Date of	first issue: 12.11.20	20
	1			(Tin)	
			STEL	0.2 mg/m3 (Tin)	ACGIH
Engineering measures	:	At the applica premelting res		ature, use of local ext couraged.	aust over the
Personal protective equipn	nent				
Respiratory protection	:	In case of insi equipment.	ufficient vent	ilation, wear suitable	respiratory
Filter type	:	Particulates ty	/pe		
Hand protection Material	:	Protective glo	ves		
Remarks	:	When handlin	g hot materi	al, use heat resistant	gloves.
Eye protection	:	Safety glasse	S		
CTION 9. PHYSICAL AND CH Appearance	HEMI :	CAL PROPER	TIES		
	HEMI :		TIES		
Appearance Colour	HEMI : :	paste black			
Appearance	<b>HEMI</b> : :	paste			
Appearance Colour	<b>HEMI</b> : : :	paste black	5		
Appearance Colour Odour	<b>HEMI</b> : : :	paste black characteristic	able		
Appearance Colour Odour Odour Threshold	<b>HEMI</b> : : : :	paste black characteristic No data avai	able		
Appearance Colour Odour Odour Threshold Boiling point/boiling range	<b>HEMI</b> : : : : :	paste black characteristic No data avai is not determ	c lable iined		
Appearance Colour Odour Odour Threshold Boiling point/boiling range Flash point	<b>HEMI</b> : : : : :	paste black characteristic No data avait is not determ > 100 °C is not determ	c lable lined	ability hazard	
AppearanceColourOdourOdour ThresholdBoiling point/boiling rangeFlash pointEvaporation rate	::	paste black characteristic No data avait is not determ > 100 °C is not determ	c lable iined iined d as a flamm ability limit	ability hazard	



Versi 1.2	on	Revision Date: 21.06.2021		S Number: 0000013380	Date of last issue: 18.11.2020 Date of first issue: 12.11.2020
f	flamma	ability limit		is not determined	1
Vapour pressure		:	is not determined	1	
F	Relativ	e vapour density	:	is not determined	1
[	Density	/	:	1.45 - 1.49 g/cm	3
ç	Solubili Wat	ity(ies) ter solubility	:	insoluble	
-	Partitio octano	n coefficient: n- l/water	:	No data available	
1	Auto-ig	nition temperature	:	is not determined	1
[	Decom	position temperature	:	Carbon monoxid bons (smoke).	e, carbon dioxide and unburned hydrocar-
١	Viscosi Visc	ty cosity, dynamic	:	Not applicable	
	Viso	cosity, kinematic	:	Not applicable	

### SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur.
Conditions to avoid	:	Protect from frost.
Hazardous decomposition products	:	Stable under normal conditions. Thermal decomposition can lead to release of irritating gases and vapours.

## SECTION 11. TOXICOLOGICAL INFORMATION

#### Skin corrosion/irritation

### Product:

Remarks

: No data available



rsion	Revision Date: 21.06.2021		DS Number: 0000013380	Date of last issue: 18.11.2020 Date of first issue: 12.11.2020
Serio	us eye damage/eye irr	itati	on	
<u>Produ</u> Rema		:	No data available	
Chroi	nic toxicity			
Germ	cell mutagenicity			
<u>Produ</u> Geno	<u>uct:</u> toxicity in vitro	:	Remarks: No data	a available
			Remarks: No data	a available
Carci	nogenicity			
<u>Produ</u> Rema		:	No data available	
Repro	oductive toxicity			
<u>Produ</u> Effect	<u>uct:</u> s on fertility	:	Remarks: No data	a available
sтот	- single exposure			
<u>Produ</u> Rema		:	No data available	
STOT	- repeated exposure			
<b>Produ</b> Rema		:	No data available	
	12. ECOLOGICAL INF	ORI	MATION	

Ecotoxicity No data available Persistence and degradability No data available



Version 1.2	Revision Date: 21.06.2021	SDS Number: 100000013380	Date of last issue: 18.11.2020 Date of first issue: 12.11.2020	
	ccumulative potential ata available			
	Mobility in soil No data available			
•	r <b>adverse effects</b> ata available			
SECTION	13. DISPOSAL CONS	IDERATIONS		
Dispo	osal methods			
Waste	e from residues		our knowledge, this product does not meet the azardous waste. Solidify and dispose of in an	

approved landfill. Consult state, local or provincial authorities for more restrictive requirements. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

ADG Not regulated as a dangerous good

## **SECTION 15. REGULATORY INFORMATION**

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : No poison schedule number allocated Scheduling of Medicines and Poisons



Version	Revision Date:	SDS Number:	Date of last issue: 18.11.2020	
1.2	21.06.2021	10000013380	Date of first issue: 12.11.2020	

The components of this product are reported in the following inventories:TSCA:All substances listed as active on the TSCA inventory		
DSL	:	All components of this product are on the Canadian DSL
REACH	:	Not in compliance with the inventory
AIIC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
ENCS	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
TCSI	:	Not in compliance with the inventory

## **SECTION 16. OTHER INFORMATION**

Further information				
Revision Date	:	21.06.2021		
Contact Point	:	Prepared by: Global Regulatory Department - phone: 1-651- 236-5842 - email: msds.request@hbfuller.com		
Date format	:	dd.mm.yyyy		
Full text of other abbreviation	Full text of other abbreviations			
ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)		
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Con- taminants.		
ACGIH / TWA	:	8-hour, time-weighted average		
ACGIH / STEL	:	Short-term exposure limit		
AU OEL / TWA AU OEL / STEL		Exposure standard - time weighted average Exposure standard - short term exposure limit		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•			



Version	Revision Date:	SDS Number:	Date of last issue: 18.11.2020
1.2	21.06.2021	10000013380	Date of first issue: 12.11.2020

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN