

Version Revision Date: SDS Number: Date of last issue: -

25.01.2022 100000013267 Date of first issue: 25.01.2022 1.0

# **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name **FULLATAK SC1000 RED** 

Product code 100000013267

Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone number : 1800 033 111(AU) 0800 734 607(NZ)

Recommended use of the chemical and restrictions on use

Recommended use : Solvent based adhesive

Restrictions on use : For industrial use only.

#### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Flammable liquids : Category 2

Skin corrosion/irritation : Category 2

Serious eye damage/eye irri-

tation

Category 2A

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1B

Reproductive toxicity : Category 1A

single exposure

Specific target organ toxicity - : Category 3 (Central nervous system)



SDS Number: Version Revision Date: Date of last issue: -

25.01.2022 100000013267 Date of first issue: 25.01.2022 1.0

Specific target organ toxicity - : Category 2

repeated exposure

**GHS** label elements

Hazard pictograms







Signal word Danger

Hazard statements H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

H340 May cause genetic defects.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or re-

peated exposure.

Precautionary statements

### Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting equip-

ment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of

the workplace.

P280 Wear protective gloves/ protective clothing/ eye protec-

tion/ face protection/ hearing protection.

Response:

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediate-

ly all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2022 100000013267 Date of first issue: 25.01.2022

doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards which do not result in classification

None known.

### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light aliph.	64742-89-8	>= 10 -< 30
toluene	108-88-3	>= 20 -< 30
acetone	67-64-1	>= 20 -< 30
2-methylpentane	107-83-5	>= 10 -< 20
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 10 -< 30
3-methylpentane	96-14-0	>= 10 -< 20
n-hexane	110-54-3	>= 3 -< 10
Formaldehyde, reaction products with butylphenol	91673-30-2	>= 1 -< 10
2,3-dimethylbutane	79-29-8	>= 1 -< 10

#### **SECTION 4. FIRST AID MEASURES**



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2022 100000013267 Date of first issue: 25.01.2022

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical atten-

tion if eye irritation develops or persists.

If swallowed : Do NOT induce vomiting.

If victim is fully conscious, give a cupful of water.

Never give anything by mouth to an unconscious person.

Obtain medical attention.

Most important symptoms and effects, both acute and

delayed

: None known.

### **SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Specific hazards during fire-

fighting

Cool closed containers exposed to fire with water spray.

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Hazchem Code : •3YE

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emer-

gency procedures

Remove all sources of ignition.

Beware of vapours accumulating to form explosive concentra-

tions. Vapours can accumulate in low areas.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Methods and materials for containment and cleaning up

: Soak up with inert absorbent material.

Sweep up and shovel into suitable containers for disposal.

Non-sparking tools should be used.



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2022 100000013267 Date of first issue: 25.01.2022

#### **SECTION 7. HANDLING AND STORAGE**

Local/Total ventilation : Use only with adequate ventilation.

Advice on protection against

fire and explosion

Keep away from open flames, hot surfaces and sources of

ignition.

Mixture may charge electrostatically: always use earthing leads when transferring from one container to another.

Keep in a bunded area.

Keep away from sources of ignition - No smoking.

Take measures to prevent the build up of electrostatic charge.

Use explosion-proof equipment.

Use only in area provided with appropriate exhaust ventilation.

Vapours may form explosive mixtures with air.

Advice on safe handling : Avoid inhalation of vapour or mist.

Do not use in areas without adequate ventilation. Keep away from fire, sparks and heated surfaces.

Keep container closed when not in use.

Take precautionary measures against static discharges.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Provide adequate ventilation.

Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.

Use explosion-proof equipment.

Keep containers tightly closed in a dry, cool and well-

ventilated place.

Keep away from sources of ignition - No smoking.

Solvent vapours are heavier than air and may spread along

floors.

Materials to avoid : Strong oxidizing agents

Further information on stor-

age stability

Stable under normal conditions.

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Solvent naphtha (petroleum), light aliph.	64742-89-8	TWA	900 mg/m3	AU OEL
toluene	108-88-3	TWA	50 ppm	AU OEL



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2022 100000013267 Date of first issue: 25.01.2022

			191 mg/m3				
	Further inform	Further information: Skin absorption					
		STEL	150 ppm 574 mg/m3	AU OEL			
	Further inform	Further information: Skin absorption					
		TWA	20 ppm ACG				
acetone	67-64-1	TWA	500 ppm 1,185 mg/m3	AU OEL			
		STEL	1,000 ppm 2,375 mg/m3	AU OEL			
		TWA	250 ppm	ACGIH			
		STEL	500 ppm	ACGIH			
2-methylpentane	107-83-5	TWA	500 ppm 1,760 mg/m3	AU OEL			
		STEL	1,000 ppm 3,500 mg/m3	AU OEL			
		TWA	500 ppm	ACGIH			
		STEL	1,000 ppm	ACGIH			
Naphtha (petroleum), hy- drotreated light	64742-49-0	TWA	900 mg/m3	AU OEL			
3-methylpentane	96-14-0	TWA	500 ppm 1,760 mg/m3	AU OEL			
		STEL	1,000 ppm 3,500 mg/m3	AU OEL			
		TWA	500 ppm	ACGIH			
		STEL	1,000 ppm	ACGIH			
n-hexane	110-54-3	TWA	20 ppm 72 mg/m3	AU OEL			
		TWA	50 ppm	ACGIH			
2,3-dimethylbutane	79-29-8	TWA	500 ppm 1,760 mg/m3	AU OEL			
		STEL	1,000 ppm 3,500 mg/m3	AU OEL			
		TWA	500 ppm	ACGIH			
		STEL	1,000 ppm	ACGIH			

### Biological occupational exposure limits

	•					
Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentration	Basis
toluene	108-88-3	Toluene	In blood	Prior to last shift of work- week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as	0.03 mg/l	ACGIH BEI



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2022 100000013267 Date of first issue: 25.01.2022

				possible after exposure ceases)		
acetone	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI
n-hexane	110-54-3	2,5- Hexanedi- one	Urine	End of shift	0.5 mg/l	ACGIH BEI

**Engineering measures** : Use local exhaust ventilation or other engineering controls to

minimize exposures.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapour type

Hand protection

Material : Solvent-resistant gloves

Eye protection : Safety glasses with side-shields

# **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : red

Odour : solvent-like

Odour Threshold : no data available

pH : not applicable

Melting point/freezing point : is not determined



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2022 100000013267 Date of first issue: 25.01.2022

Boiling point/boiling range : is not determined

Flash point : -30 °C

Method: ASTM D 93

Evaporation rate : is not determined

Upper explosion limit / Upper

flammability limit

Upper flammability limit

is not determined

Lower explosion limit / Lower

flammability limit

: Lower flammability limit

is not determined

Vapour pressure : is not determined

Density : 0.8 g/cm3

Solubility(ies)

Water solubility : is not determined

Partition coefficient: n-

octanol/water

: no data available

Auto-ignition temperature : is not determined

Viscosity

Viscosity, dynamic : is not determined

Viscosity, kinematic : is not determined

#### **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability : The product is chemically stable.

Possibility of hazardous reac-

tions

: Hazardous polymerisation does not occur.

Conditions to avoid : Heat, flames and sparks.

Hazardous decomposition

products

: Stable under normal conditions.



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2022 100000013267 Date of first issue: 25.01.2022

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

**Acute toxicity** 

**Components:** 

Solvent naphtha (petroleum), light aliph.:

Acute oral toxicity : LD50 Oral (Mouse): 5,000 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 3,000 mg/kg

toluene:

Acute oral toxicity : LD50 Oral (Rat): 5,580 mg/kg

Acute inhalation toxicity : LC50 (Rat): 12.5 mg/l

Exposure time: 4 h

n-hexane:

Acute dermal toxicity : LD50 Dermal (Rabbit): 3,000 mg/kg

Skin corrosion/irritation

Product:

Remarks : no data available

Serious eye damage/eye irritation

**Product:** 

Remarks : no data available

**Chronic toxicity** 

Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Remarks: no data available

Carcinogenicity

Product:

Remarks : no data available



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2022 100000013267 Date of first issue: 25.01.2022

Reproductive toxicity

**Product:** 

Effects on fertility : Remarks: no data available

STOT - single exposure

**Product:** 

Remarks : no data available

STOT - repeated exposure

Product:

Remarks : no data available

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Components:** 

Naphtha (petroleum), hydrotreated light:

Toxicity to daphnia and other : EC50 (Daphnia (water flea)): 2.6 mg/l

aquatic invertebrates Exposure time: 96 h

Test Type: static test

n-hexane:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 2.1 - 2.98

mg/l

Exposure time: 96 h

Test Type: flow-through test

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available



Version Revision Date: SDS Number: Date of last issue: -

25.01.2022 100000013267 Date of first issue: 25.01.2022 1.0

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues Dispose of as hazardous waste in compliance with local and

national regulations.

The hazard and precautionary statements displayed on the

label also apply to any residues left in the container.

#### **SECTION 14. TRANSPORT INFORMATION**

#### **International Regulations**

**UNRTDG** 

UN number UN 1133 Proper shipping name **ADHESIVES** 

3 Class Packing group Ш Labels 3

IATA-DGR

UN 1133 UN/ID No. Proper shipping name Adhesives

Class 3 Packing group Ш

Labels Flammable Liquids

Packing instruction (cargo 364

aircraft)

Packing instruction (passen-

353

ger aircraft)

**IMDG-Code** 

UN number UN 1133 Proper shipping name **ADHESIVES** 

Class 3 Packing group Ш Labels 3

EmS Code F-E, S-D Marine pollutant no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

# **National Regulations**

**ADG** 

UN number UN 1133 **ADHESIVES** Proper shipping name

Class 3



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2022 100000013267 Date of first issue: 25.01.2022

Packing group : II
Labels : 3
Hazchem Code : •3YE

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and

: Schedule 5

Poisons

Prohibition/Licensing Requirements : There is no applicable prohibition,

authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions.

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : On the inventory, or in compliance with the inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2022 100000013267 Date of first issue: 25.01.2022

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

REACH : Not in compliance with the inventory

TECI: Not in compliance with the inventory

#### **SECTION 16. OTHER INFORMATION**

#### **Further information**

Revision Date : 25.01.2022

Contact Point : Prepared by: Global Regulatory Office - phone: 1-651-236-

5842 - email: msds.request@hbfuller.com

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

ACGIH / TWA : 8-hour, time-weighted average ACGIH / STEL : Short-term exposure limit

AU OEL / TWA : Exposure standard - time weighted average AU OEL / STEL : Exposure standard - short term exposure limit

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median



Version Revision Date: SDS Number: Date of last issue: -

1.0 25.01.2022 100000013267 Date of first issue: 25.01.2022

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZloC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN