

SAFETY DATA SHEET

REVISION DATE: 12-02-2016

SUPERSEDES: None

SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER**PRODUCT INFORMATION**

PRODUCT: FULAFOAM PRO FLEXIBLE
PRODUCT DESCRIPTION: Foam
INTENDED USE: Industrial adhesive
PRODUCT IDENTIFIER: 842346PM

COMPANY INFORMATION

H.B. Fuller Company Australia Pty. Ltd.
16 - 22 Red Gum Drive
Dandenong South, VIC 3175
Telephone: (03) 9797 6222
Emergency telephone No: 1800 033 111
Emergency Tel NZ: 0800 734 607 (or IDD +64 473 4607)

SECTION 2: HAZARDS IDENTIFICATION**GHS Hazard
Symbols:****GHS Symbol
name(s):**

Flame
Health Hazard
Exclamation mark

GHS Signal Word:

Danger

GHS Classification:

Flammable Aerosol Category 1; Respiratory Sensitisation Category 1; Skin Sensitisation Category 1; Skin Corrosion/Irritation Category 2; Serious Eye Damage/Eye Irritation Category 2A; Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 2; Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3; Acute Toxicity - Inhalation Dust / Mist Category 4

GHS Hazard**Phrases:**

Extremely flammable aerosol.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
Harmful if inhaled.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause respiratory irritation.
May cause damage to organs through prolonged or repeated exposure.

GHS Precautions:**Safety Precautions:**

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
Do not spray on an open flame or other ignition source.
Pressurized container: Do not pierce or burn, even after use.
Do not breathe dust/fume/gas/mist/vapours/spray.
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.

SAFETY DATA SHEET

	Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory protection.
First Aid Measures:	IF ON SKIN: Wash with plenty of soap and water. IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician. Take off contaminated clothing and wash before reuse.
Storage:	Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.
Disposal:	Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS #	PERCENT	Classification	Note
Polymethylene polyphenyl isocyanate	9016-87-9	30 - 50	Acute Tox. 4; H332 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT RE 2; H373 STOT SE 3; H335, H336	
2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	10 - 30	Acute Tox. 4; H302	
Dimethyl ether	115-10-6	5 - 10	Press. Gas (*); H280 Flam. Gas 1; H220	
Isobutane (propellant)	75-28-5	5 - 10	Press. Gas (*); H280 Flam. Gas 1; H220	
Propane (propellant)	74-98-6	1 - 5	Press. Gas (*); H280 Flam. Gas 1; H220	
Aliphatic amine	6425-39-4	0.1 - 1	Eye Irrit. 2; H319 Skin Irrit. 2; H315	
Butane	106-97-8	0.1 - 1	Press. Gas (*); H280 Flam. Gas 1; H220	
Ingredients determined to be not hazardous		0		

SECTION 4: FIRST AID MEASURES

IF IN EYES: Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.

IF ON SKIN: Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

IF INHALED: Remove to fresh air. Restore breathing, if necessary. Call a physician if symptoms persist.

IF SWALLOWED: Do not induce vomiting. Seek medical attention immediately. Drink two glasses of water or milk to dilute. Do not give anything by mouth to an unconscious person. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis that may be fatal.

SECTION 5: FIRE FIGHTING MEASURES

SAFETY DATA SHEET

EXTINGUISHING MEDIA: Use water spray, foam, dry chemical or carbon dioxide.
UNUSUAL FIRE AND EXPLOSION HAZARDS: Material will burn in a fire.
SPECIAL FIRE FIGHTING INSTRUCTIONS: Persons exposed to products of combustion should wear self-contained breathing apparatus and full protective equipment.
HAZARDOUS COMBUSTION PRODUCTS: Carbon dioxide, Carbon monoxide Nitrogen containing gases
 Hydrogen cyanide Chlorine containing gases Hydrocarbons
 Sulfur containing gases

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION: Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this MSDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred.
METHODS FOR CLEAN-UP: Dike if necessary, contain spill with inert absorbent and transfer to containers for disposal. Keep spilled product out of sewers, watersheds, or water systems.
 Cover with absorbent material. Place in open topped container.
 Remove to well-ventilated area and treat with aqueous ammonia.

SECTION 7: HANDLING AND STORAGE

Handling: Avoid contacting and avoid breathing the material. Use only in a well ventilated area. Moisture contamination in closed containers may produce carbon dioxide gas pressure.
Storage: Store in a cool, dry place.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
EXPOSURE LIMITS:

Chemical Name	Note	AUSTRALIAN EXPOSURE LIMITS	ACGIH EXPOSURE LIMITS
Dimethyl ether		400 ppm TWA; 760 mg/m ³ TWA 500 ppm STEL; 950 mg/m ³ STEL	No data available.
Isobutane (propellant)		None None	No data available. 1000 ppm STEL
Propane (propellant)		None None	See Appendix F: Minimal Oxygen Content
Butane		800 ppm TWA; 1900 mg/m ³ TWA None	No data available. 1000 ppm STEL

Biological Limit Values (ACGIH)

Chemical Name	ACGIH Biological Exposure Index (BEI)
No data available.	

ENGINEERING CONTROL METHODS:

VENTILATION: Use local exhaust ventilation or other engineering controls to

SAFETY DATA SHEET

EYE PROTECTION:	minimise exposures. Wear safety glasses with side shields when handling this product. Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Have an eye wash station available.
SKIN PROTECTION:	Avoid skin contact by wearing chemically resistant gloves and long sleeved shirt. An apron may be appropriate if splashing can occur.
GLOVES:	Nitrile
RESPIRATORY PROTECTION:	Respiratory protection may be required to avoid overexposure when handling this product. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Use supplied-air respiratory equipment as required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Liquid
COLOR:	Green
ODOR:	Characteristic
ODOR THRESHOLD:	Not established
pH:	Not established
FREEZING/MELTING POINT (deg. C):	Not established
BOILING POINT (deg. C):	Not established
FLASH POINT:	Not applicable
EVAPORATION RATE:	Not established
FLAMMABILITY:	Not a flammable solid or gas
UPPER EXPLOSIVE LIMIT (% in air):	Not established
LOWER EXPLOSIVE LIMIT (% in air):	Not established
VAPOR PRESSURE (mm Hg):	Not established
VAPOR DENSITY:	Not established
WEIGHT PER GALLON (lbs.):	0.15
SPECIFIC GRAVITY:	1.000
SOLUBILITY:	Not established
OCTANOL/WATER COEFFICIENT:	Not established
AUTOIGNITION TEMPERATURE:	Not established
DECOMPOSITION TEMPERATURE:	Not established
VISCOSITY:	No data available.
SOLIDS (% by weight):	100.0

SECTION 10: STABILITY AND REACTIVITY

STABILITY:	Stable under normal conditions.
CONDITIONS TO AVOID:	High temperatures and pressures
CHEMICAL INCOMPATIBILITY:	Water Alcohols Amines Strong acids Strong alkalies
HAZARDOUS POLYMERIZATION:	Will not occur.
HAZARDOUS DECOMPOSITION PRODUCTS:	Hydrogen cyanide Nitrogen containing gases Carbon monoxide, carbon dioxide Chlorine containing gases Sulfur containing gases Hydrocarbons

SAFETY DATA SHEET**SECTION 11: TOXICOLOGICAL INFORMATION****Component Toxicity / Toxicology Data:**

COMPONENT NAME	LD50/LC50
Polymethylene polyphenyl isocyanate	Oral LD50 Rat 49 g/kg
2-Propanol, 1-chloro-, phosphate (3:1)	Oral LD50 Rat 1,500 mg/kg
Dimethyl ether	Inhalation LC50 Rat 308.50 mg/l
Butane	Inhalation LC50 Rat 658.00 G/M3

This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.

Serious eye damage / irritation: Can cause moderate irritation, tearing and reddening.

Respiratory / skin sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity: No data available.

Carcinogenicity: No data available.

Reproductive toxicity: No data available.

Specific target organ toxicity-single exposure: No data available.

Respiratory irritation / Narcotic effects: No data available.

Specific target organ toxicity-single exposure: May cause damage to organs through prolonged or repeated exposure.

Target organs potentially affected by exposure: Lungs Skin Central nervous system Heart

Aspiration hazard: Not an aspiration hazard.

Medical Conditions Aggravated by Exposure: Skin disease including eczema and sensitisation, Lung disease, Persons with existing asthmatic conditions may experience difficulty breathing. Persons who have been sensitised to isocyanates may experience symptoms at very low exposure levels.

SECTION 12: ECOLOGICAL INFORMATION

OVERVIEW:	No ecological information available for this product.
MOBILITY:	No data available.
PERSISTENCE:	No data available.
BIOACCUMULATION:	No data available.

This product has not been tested for ecological effects. Relevant information for components is listed below:

Component:	Ecotoxicity values:
2-Propanol, 1-chloro-, phosphate (3:1)	Acute Toxicity (Fish): 96 Hr LC50 Brachydanio rerio: 56.2 mg/L [static]; 96 Hr LC50 Leuciscus idus: 180 mg/L [static]; 96 Hr LC50 Pimephales promelas: 98 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 30 mg/L [static] Acute Toxicity (Daphnia): 48 Hr EC50 Daphnia magna: 63 mg/L Acute Toxicity (Algae): 72 Hr EC50 Desmodesmus subspicatus: 45 mg/L; 96 Hr EC50 Pseudokirchneriella subcapitata: 4 mg/L

SECTION 13: DISPOSAL CONSIDERATIONS

It is our opinion that this product does not meet the definition of hazardous waste under U.S. EPA Hazardous Waste Regulations 40 CFR 261. Dispose of waste material according to state, local or provincial regulations.

SAFETY DATA SHEET

SECTION 14: TRANSPORT INFORMATION

Consult Bill of Lading for transportation information.

ADG: NOT REGULATED
HazChem Code: Not applicable

SECTION 15: REGULATORY INFORMATION

INVENTORY STATUS

AUSTRALIA AICS: All ingredients in this mixture are listed in the Australian Inventory of Chemical Substances.

U.S. EPA TSCA: The product contains a substance that is not listed on the TSCA inventory.

CANADIAN CEPA DSL: This product contains one or more components which have not been determined to be on the DSL. If you are the importer of this product into Canada, contact H.B. Fuller for chemical tracking and notification information.

EUROPEAN REACH: As a result of the introduction of REACH into Europe, this product cannot be imported into Europe unless the REACH requirements are met.

If you need more information about the inventory status of this product call 1+ 651-236-5858.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP):

Exempt

SECTION 16: OTHER INFORMATION

SDS Date of Issue: 02-12-2016
Replaces: None
Changes made to previous issue: Conversion to GHS format**ACRONYMS and DEFINITIONS:**

ACGIH American Conference of Governmental Industrial Hygienists

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail

AICS Australian Inventory of Chemical Substances

BEI Biological Exposure Index

CAS Number Chemical Abstracts Service Registry Number

CNS Central nervous system

DG Dangerous Goods

Hazchem Code An emergency action code of numbers and letters, which gives information to emergency services.

IARC International Agency for Research on Cancer

IATA Code International Air Transport Association Code

IMDG Code International Maritime Dangerous Goods Code

N.O.S. Not otherwise specified

NOHSC National Health and Safety Commission

PPE Personal protection equipment

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

UN Number United Nations Number

SAFETY DATA SHEET

Prepared by: The Global Regulatory Department Phone: 1-651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Company Australia Pty. Ltd. from its suppliers, and because H.B. Fuller Company Australia Pty. Ltd. has no control over the conditions of handling and use, H.B. Fuller Company Australia Pty. Ltd. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Company Australia Pty. Ltd. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company Australia Pty. Ltd. products to comply with all applicable federal, state and local laws and regulations.