

MAXBOND PRO 824293PM

SAFETY DATA SHEET

REVISION DATE: 04-09-2020 SUPERSEDES: 02-19-2020

SECTION 1: IDENTIFICATION OF THE PRODUCT AND SUPPLIER

PRODUCT INFORMATION

PRODUCT: MAXBOND PRO

PRODUCT DESCRIPTION: Foam

INTENDED USE: Industrial adhesive

PRODUCT IDENTIFIER: 824293PM

COMPANY INFORMATION

H.B. Fuller Company Australia Pty. Ltd.

16 - 22 Red Gum Drive Dandenong South, VIC 3175 Telephone: (03) 9797 6222

Emergency telephone No: 18000 74234 Emergency Tel NZ: 0800 446 881

SECTION 2: HAZARDS IDENTIFICATION

GHS Hazard Symbols:







GHS Symbol Flame

name(s): Health Hazard

Exclamation mark

GHS Signal Word: Danger

GHS Classification: Flammable Aerosol Category 1; Gases under pressure - Compressed Gas; Respiratory

Sensitisation Category 1; Skin Sensitisation Category 1; Skin Corrosion/Irritation Category 2; Serious Eye Damage/Eye Irritation Category 2A; Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category 2; Hazardous to the aquatic environment - Acute Category 3; Acute Toxicity - Inhalation Vapour Category 4

GHS Hazard Extremely flammable aerosol.

Phrases: Contains gas under pressure; may explode if heated.

Causes skin irritation.

May cause an allergic skin reaction. Causes serious eye irritation.

Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause damage to organs through prolonged or repeated exposure.

Harmful to aquatic life.

GHS Precautions:

Safety Precautions: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.



MAXBOND PRO 824293PM

SAFETY DATA SHEET

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of inadequate ventilation wear respiratory protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water. IF INHALED: If breathing is

difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If experiencing

respiratory symptoms: Call a POISON CENTER or doctor/physician. Take off

contaminated clothing and wash before reuse.

Storage: Protect from sunlight. Store in a well-ventilated place.

Protect from sunlight. Do no expose to temperatures exceeding 50°C/122°F.

Disposal: Dispose of contents/container in accordance with local/regional/national/international

regulation for chemical wastes.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	PERCENT	Classification	Note
2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	10 - 30	Acute Tox. 4; H302	
Dimethyl ether	115-10-6	5 - 10		
Polymethylene polyphenyl isocyanate	9016-87-9	5 - 10	Acute Tox. 4; H332 Eye Irrit. 2; H319 Resp. Sens. 1; H334 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT RE 2; H373 STOT SE 3; H335, H336	
Methylene bisphenyl diisocyanate (MDI)	101-68-8	5 - 10	Acute Tox. 4; H332 Resp. Sens. 1; H334	
Isobutane (propellant)	75-28-5	5 - 10		
Propane (propellant)	74-98-6	1 - 5		
Ingredients determined to be not hazardous		70		

SECTION 4: FIRST AID MEASURES

IF IN EYES: Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician.

IF ON SKIN: Wash with soap and water. Remove contaminated clothing and launder. Get medical attention if irritation develops or persists.

IF INHALED: Remove to fresh air. Restore breathing, if necessary. Call a physician if symptoms persist. IF SWALLOWED: Do not induce vomiting. Seek medical attention immediately. Drink two glasses of water or milk to dilute. Do not give anything by mouth to an unconscious person. Induced vomiting may lead to aspiration of the material into the lungs potentially causing chemical pneumonitis that may be fatal.

SECTION 5: FIRE FIGHTING MEASURES



MAXBOND PRO 824293PM

See Appendix F: Minimal Oxygen Content,

explosion hazard

SAFETY DATA SHEET

UNUSUAL FIRE AND EXPLOSION HAZARDS: Material will burn in a fire.

SPECIAL FIRE FIGHTING INSTRUCTIONS: Persons exposed to products of combustion should wear self-

contained breathing apparatus and full protective equipment.

HAZARDOUS COMBUSTION PRODUCTS: Chlorine containing gases Hydrocarbons Nitrogen containing

gases Sulfur containing gases Carbon dioxide, Carbon

monoxide Hydrogen cyanide

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPECIAL PROTECTION: Exposure to the spilled material may be irritating or harmful. Follow

personal protective equipment recommendations found in Section 8 of this MSDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the

quantity of the spill, the area in which the spill occurred.

METHODS FOR CLEAN-UP: Dike if necessary, contain spill with inert absorbent and transfer to

containers for disposal. Keep spilled product out of sewers, watersheds,

or water systems.

Cover with absorbent material. Place in open topped container. Remove to well-ventilated area and treat with aqueous ammonia.

SECTION 7: HANDLING AND STORAGE

Handling: Avoid contacting and avoid breathing the material. Use only in a well ventilated

area. Moisture contamination in closed containers may produce carbon dioxide

gas pressure.

Storage: Store in a cool, dry place.

EXPOSURE LIMITS:

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name Note AUSTRALIAN EXPOSURE LIMITS ACGIH EXPOSURE LIMITS Dimethyl ether 400 ppm TWA; 760 mg/m3 TWA No data available. 500 ppm STEL; 950 mg/m3 STEL Polymethylene polyphenyl 0.02 mg/m3 TWA (as NCO, listed under No data available. isocyanate Isocyanates, all) 0.07 mg/m3 STEL (as NCO, listed under Isocyanates, all) 0.02 mg/m3 TWA (as NCO, listed under 0.005 ppm TWA (listed under Methylene Methylene bisphenyl diisocyanate Isocyanates, all) bisphenyl isocyanate (MDI)) 0.07 mg/m3 STEL (as NCO, listed under Isocyanates, all) Isobutane (propellant) None No data available. None 1000 ppm STEL (explosion hazard, listed under Butane, isomers)

Biological Limit Values (ACGIH)

Propane (propellant)

Chemical Name	ACGIH Biological Exposure Index (BEI)

None None



MAXBOND PRO 824293PM

SAFETY DATA SHEET

No data available.

ENGINEERING CONTROL METHODS:

VENTILATION: Use local exhaust ventilation or other engineering controls to

minimise exposures.

EYE PROTECTION: Wear safety glasses with side shields when handling this product.

Wear additional eye protection such as chemical splash goggles and/or face shield when the possibility exists for eye contact with splashing or spraying liquid, or airborne material. Have an eye wash

station available.

SKIN PROTECTION: Avoid skin contact by wearing chemically resistant gloves and long

sleeved shirt. An apron may be appropriate if splashing can occur.

GLOVES: Nitrile

RESPIRATORY PROTECTION: Respiratory protection may be required to avoid overexposure when

handling this product. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Use supplied-air

respiratory equipment as required.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid COLOR: Beige

ODOR: Characteristic
ODOR THRESHOLD: Not established
pH: Not established

FREEZING/MELTING POINT (deg. C):

BOILING POINT (deg. C):

Not established

Not applicable

EVAPORATION RATE:

Not established

FLAMMABILITY: Not a flammable solid or gas

UPPER EXPLOSIVE LIMIT (% in air):

LOWER EXPLOSIVE LIMIT (% in air):

VAPOR PRESSURE (mm Hg):

VAPOR DENSITY:

Not established

Not established

Not established

WEIGHT PER GALLON (lbs.): 8.35 SPECIFIC GRAVITY: 1.000

SOLUBILITY: Not established OCTANOL/WATER COEFFICIENT: Not established AUTOIGNITION TEMPERATURE: Not established DECOMPOSITION TEMPERATURE: Not established VISCOSITY: No data available.

SOLIDS (% by weight): 70.0

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable under normal conditions.

CHEMICAL INCOMPATIBILITY: Water Alcohols Amines Strong acids Strong alkalies

HAZARDOUS POLYMERIZATION: Will not occur.



MAXBOND PRO 824293PM

SAFETY DATA SHEET

HAZARDOUS DECOMPOSITION PRODUCTS: Chlorine containing gases Sulfur containing gases

Nitrogen containing gases Hydrocarbons Hydrogen

cyanide Carbon monoxide, carbon dioxide

SECTION 11: TOXICOLOGICAL INFORMATION

Component Toxicity / Toxicology Data:

component Toxicity / Toxicology Data:				
COMPONENT NAME	LD50/LC50			
2-Propanol, 1-chloro-, phosphate (3:1)	Oral LD50 Rat 1,500 mg/kg			
	Inhalation LC50 Rat > 5.05 mg/l			
	Dermal LD50 Rabbit > 5,000.00 mg/kg			
Dimethyl ether	Inhalation LC50 Rat 164,000.00 ppm/4H			
Polymethylene polyphenyl isocyanate	Oral LD50 Rat 49 g/kg			
	Inhalation LC50 Rat 490.00 MG/M3			
	Dermal LD50 Rabbit > 9.40 g/kg			
Methylene bisphenyl diisocyanate (MDI)	Oral LD50 Rat 31,600 mg/kg			
	Inhalation LC50 Rat 369.00 MG/M3			

This product is a mixture. Unless noted, the information below is based on components.

Skin corrosion / irritation: Can cause moderate skin irritation, defatting, and dermatitis. Not likely to cause permanent damage.

Serious eye damage / irritation: Can cause moderate irritation, tearing and reddening.

Respiratory / skin sensitization: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

Germ cell mutagenicity: No data available.

Carcinogenicity: No data available. Reproductive toxicity: No data available.

Specific target organ toxicity-single exposure: No data available.

Respiratory irritation / Narcotic effects: No data available.

Specific target organ toxicity-single exposure: May cause damage to organs through prolonged or repeated exposure.

Target organs potentially affected by exposure: Lungs Skin Central nervous system

Aspiration hazard: Not an aspiration hazard.

Medical Conditions Aggravated by Exposure: Skin disease including eczema and sensitisation, Lung disease, Persons with existing asthmatic conditions may experience difficulty breathing. Persons who have been sensitised to isocyanates may experience symptoms at very low exposure levels.

SECTION 12: ECOLOGICAL INFORMATION

OVERVIEW: No ecological information available for this product.

MOBILITY: No data available.
PERSISTENCE: No data available.
BIOACCUMULATION: No data available.

This product has not been tested for ecological effects. Relevant information for components is listed below:

Component:	Ecotoxicity values:
2-Propanol, 1-chloro-, phosphate (3:1)	Acute Toxicity (Fish): LC50 Brachydanio rerio 56.2 mg/L 96 h; LC50 Pimephales
	promelas 98 mg/L 96 h; LC50 Poecilia reticulata 30 mg/L 96 h
	Acute Toxicity (Daphnia): EC50 Daphnia magna 63 mg/L 48 h
	Acute Toxicity (Algae): EC50 Desmodesmus subspicatus 45 mg/L 72 h; EC50



MAXBOND PRO 824293PM

SAFETY DATA SHEET

	Pseudokirchneriella subcapitata 4 mg/L 96 h	
Dimethyl ether	Acute Toxicity (Fish): LC50 96 h Poecilia reticulata >4.1 g/L	
	Acute Toxicity (Daphnia): Not established	
	Acute Toxicity (Algae): Not established	

SECTION 13: DISPOSAL CONSIDERATIONS

It is our opinion that this product does not meet the definition of hazardous waste under U.S. EPA Hazardous Waste Regulations 40 CFR 261. Dispose of waste material according to state, local or provincial regulations.

SECTION 14: TRANSPORT INFORMATION

Consult Bill of Lading for transportation information.

ADG: UN1950, AEROSOLS, 2.1.

IATA: UN1950, FLAMMABLE, AEROSOLS, 2.1.

IMDG: UN1950, AEROSOLS, 2.1.

HazChem Code: 2YE

SECTION 15: REGULATORY INFORMATION

INVENTORY STATUS

AUSTRALIA AICS: All ingredients in this mixture are listed in the Australian Inventory of

Chemical Substances.

U.S. EPA TSCA: The product contains a substance that is not listed on the TSCA

inventory.

CANADIAN CEPA DSL: This product contains one or more components which have not been

determined to be on the DSL. If you are the importer of this product into Canada, contact H.B. Fuller for chemical tracking and notification

information

EUROPEAN REACH: As a result of the introduction of REACH into Europe, this product

cannot be imported into Europe unless the REACH requirements are

met.

If you need more information about the inventory status of this product call 1+ 651-236-5858.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP):

Scheduled poison

SECTION 16: OTHER INFORMATION

SDS Date of Issue: 09-04-2020



MAXBOND PRO 824293PM

SAFETY DATA SHEET

Replaces: 19-02-2020

Changes made to previous issue: Conversion to GHS format

ACRONYMS and DEFINITIONS:

ACGIH American Conference of Governmental Industrial Hygienists

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail

AICS Australian Inventory of Chemical Substances

BEI Biological Exposure Index

CAS Number Chemical Abstracts Service Registry Number

CNS Central nervous system DG Dangerous Goods

Hazchem Code An emergency action code of numbers and letters, which gives information to emergency services.

IARC International Agency for Research on Cancer
IATA Code International Air Transport Association Code
IMDG Code International Maritime Dangerous Goods Code

N.O.S. Not otherwise specified

NOHSC National Health and Safety Commission

PPE Personal protection equipment

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

UN Number United Nations Number

Prepared by: The Global Regulatory DepartmentPhone: 1-651-236-5842

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to H.B. Fuller Company Australia Pty. Ltd. from its suppliers, and because H.B. Fuller Company Australia Pty. Ltd. has no control over the conditions of handling and use, H.B. Fuller Company Australia Pty. Ltd. makes no warranty, expressed or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and H.B. Fuller Company Australia Pty. Ltd. assumes no responsibility for use or reliance thereon. It is the responsibility of the user of H.B. Fuller Company Australia Pty. Ltd. products to comply with all applicable federal, state and local laws and regulations.