

## SAFETY DATA SHEET

Version            Revision Date:            SDS Number:            Date of last issue: -  
1.0                08.02.2021                100000013386            Date of first issue: 08.02.2021

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name                : FULAFOAM FIRE RESISTANT  
Product code                : 100000013386

#### Manufacturer or supplier's details

Company                      : H.B. Fuller Company Australia Pty. Ltd.

Address                      : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone                    : +611800423855

Emergency telephone number : 1800 033 111(AU) 0800 734 607(NZ)

#### Recommended use of the chemical and restrictions on use

Recommended use            : Adhesive

Restrictions on use         : For industrial use only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids            : Category 1

Acute toxicity (Oral)        : Category 4

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation    : Category 2

Serious eye damage/eye irritation : Category 2A

Respiratory sensitisation    : Category 1

Skin sensitisation            : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

Specific target organ toxicity - repeated exposure : Category 2

## SAFETY DATA SHEET

Version 1.0	Revision Date: 08.02.2021	SDS Number: 100000013386	Date of last issue: - Date of first issue: 08.02.2021
----------------	------------------------------	-----------------------------	--

### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H224 Extremely flammable liquid and vapour.  
H302 + H332 Harmful if swallowed or if inhaled.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
H335 May cause respiratory irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements :

#### Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use only non-sparking tools.  
P243 Take precautionary measures against static discharge.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ eye protection/ face protection.  
P285 In case of inadequate ventilation wear respiratory protection.

#### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.  
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.02.2021	100000013386	Date of first issue: 08.02.2021

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/ physician.  
P362 Take off contaminated clothing and wash before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Diphenylmethanediisocyanate, polymeric	9016-87-9	>= 30 -< 60
Phosphate-based flame retardant	1244733-77-4	>= 10 -< 30
Halogenated polyether polyol molecular mass 468 g/mol	86675-46-9	>= 10 -< 30
dimethyl ether (Vapour and gas)	115-10-6	< 10
isobutane	75-28-5	< 10
propane	74-98-6	< 10
triethyl phosphate	78-40-0	< 10

## SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.02.2021	100000013386	Date of first issue: 08.02.2021

---

Keep patient warm and at rest.  
Consult a physician after significant exposure.

In case of skin contact : Wash off immediately with soap and plenty of water.  
Call a physician if irritation develops or persists.

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids.  
Seek medical advice.

If swallowed : If swallowed, call a poison control centre or doctor immediately.  
Do not induce vomiting without medical advice.

Most important symptoms and effects, both acute and delayed : None known.

---

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Sand  
Foam

Unsuitable extinguishing media : Water

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special protective equipment for firefighters : Wear an approved positive pressure self-contained breathing apparatus in addition to standard fire fighting gear.

Hazchem Code : 2YE

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.  
Ensure adequate ventilation.

Environmental precautions : Prevent product from entering drains.  
Do not flush into surface water or sanitary sewer system.

Methods and materials for containment and cleaning up : Ventilate the area.  
Soak up with inert absorbent material.  
Shovel or sweep up.

---

## SAFETY DATA SHEET

Version 1.0      Revision Date: 08.02.2021      SDS Number: 100000013386      Date of last issue: -  
 Date of first issue: 08.02.2021

### SECTION 7. HANDLING AND STORAGE

- Local/Total ventilation : Use only with adequate ventilation.
- Advice on protection against fire and explosion : Keep away from direct sunlight.  
Keep away from heat and sources of ignition.
- Advice on safe handling : Wear personal protective equipment.  
Do not get on skin or clothing.  
Keep away from heat and flame.
- Hygiene measures : Avoid contact with skin, eyes and clothing.
- Conditions for safe storage : Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.  
Keep in a cool, well-ventilated place.
- Materials to avoid : Do not store together with oxidizing and self-igniting products.
- Further information on storage stability : The pressure in sealed containers can increase under the influence of heat.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Diphenylmethanediisocyanate, polymeric	9016-87-9	TWA	0.02 mg/m <sup>3</sup> (As -NCO)	AU OEL
		Further information: Sensitiser		
		STEL	0.07 mg/m <sup>3</sup> (As -NCO)	AU OEL
		Further information: Sensitiser		
		TWA	0.02 mg/m <sup>3</sup> (NCO)	AU OEL
		Further information: Sensitiser		
		STEL	0.07 mg/m <sup>3</sup> (NCO)	AU OEL
		Further information: Sensitiser		
dimethyl ether (Vapour and gas)	115-10-6	TWA	400 ppm 760 mg/m <sup>3</sup>	AU OEL
		STEL	500 ppm 950 mg/m <sup>3</sup>	AU OEL

## SAFETY DATA SHEET

Version 1.0      Revision Date: 08.02.2021      SDS Number: 100000013386      Date of last issue: -  
 Date of first issue: 08.02.2021

isobutane	75-28-5	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm	ACGIH
		STEL	1,000 ppm	ACGIH
propane	74-98-6	TWA	1,000 ppm	ACGIH

### Personal protective equipment

- Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
- Filter type : Combined particulates and organic vapour type
- Hand protection  
Material : Nitrile rubber
- Eye protection : Tightly fitting safety goggles  
Ensure that eyewash stations and safety showers are close to the workstation location.
- Skin and body protection : Long sleeved clothing  
Preventive skin protection
- Protective measures : Avoid contact with skin.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : aerosol
- Odour Threshold : No data available
- Melting point/freezing point : is not determined
- Boiling point/boiling range : -12 °C  
  
is not determined
- Flash point : -83 °C
- Evaporation rate : is not determined
- Flammability (solid, gas) : Not classified as a flammability hazard
- Upper explosion limit / Upper flammability limit : Upper flammability limit  
is not determined

## SAFETY DATA SHEET

Version 1.0      Revision Date: 08.02.2021      SDS Number: 100000013386      Date of last issue: -  
Date of first issue: 08.02.2021

---

Lower explosion limit / Lower flammability limit : Lower flammability limit is not determined

Density : 1,050 kg/m<sup>3</sup>

Solubility(ies)  
Water solubility : is not determined

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : is not determined

Viscosity  
Viscosity, dynamic : is not determined

Viscosity, kinematic : is not determined

---

### SECTION 10. STABILITY AND REACTIVITY

Chemical stability : The product is chemically stable.

Hazardous decomposition products : Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: 717.36 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 2.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

##### Components:

##### **Diphenylmethanediisocyanate, polymeric:**

Acute inhalation toxicity : LC50 (Rat): 0.49 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

---

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.02.2021	100000013386	Date of first issue: 08.02.2021

---

### Chronic toxicity

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

No data available

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : To the best of our knowledge, this product does not meet the definition of hazardous waste. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.  
The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 1950  
Proper shipping name : AEROSOLS  
Class : 2.1  
Packing group : Not assigned by regulation  
Labels : 2.1

#### IATA-DGR

Not permitted for transport

#### IMDG-Code

UN number : UN 1950  
Proper shipping name : AEROSOLS  
  
Class : 2.1  
Packing group : Not assigned by regulation  
Labels : 2.1

---



## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.02.2021	100000013386	Date of first issue: 08.02.2021

---

EmS Code : F-D, S-U  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### ADG

UN number : UN 1950  
Proper shipping name : AEROSOLS  
Class : 2.1  
Packing group : Not assigned by regulation  
Labels : 2.1  
Hazchem Code : 2YE

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 6  
Scheduling of Medicines and  
Poisons

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

### The components of this product are reported in the following inventories:

TSCA : Product contains substance(s) not listed on TSCA inventory.  
DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.02.2021	100000013386	Date of first issue: 08.02.2021

---

REACH	:	Not in compliance with the inventory
AICS	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory
ENCS	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
TCSI	:	Not in compliance with the inventory

---

### SECTION 16. OTHER INFORMATION

#### Further information

Revision Date	:	08.02.2021
Contact Point	:	Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com
Date format	:	dd.mm.yyyy

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
AU OEL / TWA	:	Exposure standard - time weighted average
AU OEL / STEL	:	Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.02.2021	100000013386	Date of first issue: 08.02.2021

---

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN