

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2021
1.1	13.09.2021	100000013393	Date of first issue: 13.09.2021

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : H.B. Fuller® RAPID GRIP LIQUID  
Product code : 100000013393

#### Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone number : 1800 033 111(AU) 0800 734 607(NZ)

#### Recommended use of the chemical and restrictions on use

Recommended use : Solvent based adhesive

Restrictions on use : For industrial use only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable liquids : Category 2

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2A

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 3 (Central nervous system)

Specific target organ toxicity - repeated exposure : Category 2

Aspiration hazard : Category 1

#### GHS label elements

## SAFETY DATA SHEET

Version 1.1      Revision Date: 13.09.2021      SDS Number: 100000013393      Date of last issue: 13.09.2021  
Date of first issue: 13.09.2021

---

Hazard pictograms



Signal word

: Danger

Hazard statements

: H225 Highly flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P240 Ground and bond container and receiving equipment.  
P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.  
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

## SAFETY DATA SHEET

Version 1.1      Revision Date: 13.09.2021      SDS Number: 100000013393      Date of last issue: 13.09.2021  
Date of first issue: 13.09.2021

---

P331 Do NOT induce vomiting.  
P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

---

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
2-methylpentane	107-83-5	>= 60 -<= 100
toluene	108-88-3	>= 30 -< 60
butanone	78-93-3	>= 30 -< 60

---

## SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.  
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.  
Get medical attention if irritation develops and persists.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.

---

## SAFETY DATA SHEET

Version 1.1	Revision Date: 13.09.2021	SDS Number: 100000013393	Date of last issue: 13.09.2021 Date of first issue: 13.09.2021
----------------	------------------------------	-----------------------------	---

---

If swallowed : Do NOT induce vomiting.  
If victim is fully conscious, give a cupful of water.  
Never give anything by mouth to an unconscious person.  
Obtain medical attention.

Most important symptoms and effects, both acute and delayed : None known.

---

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during fire-fighting : Cool closed containers exposed to fire with water spray.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Hazchem Code : •3Y

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.  
Refer to protective measures listed in sections 7 and 8.

Environmental precautions : Prevent spreading over a wide area (e.g. by containment or oil barriers).

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
Sweep up and shovel into suitable containers for disposal.  
Non-sparking tools should be used.

---

### SECTION 7. HANDLING AND STORAGE

Local/Total ventilation : Use only with adequate ventilation.

Advice on protection against fire and explosion : Keep away from open flames, hot surfaces and sources of ignition.  
Mixture may charge electrostatically: always use earthing leads when transferring from one container to another.  
Keep in a bonded area.  
Keep away from sources of ignition - No smoking.

---

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2021
1.1	13.09.2021	10000013393	Date of first issue: 13.09.2021

- Take measures to prevent the build up of electrostatic charge.  
Use explosion-proof equipment.  
Use only in area provided with appropriate exhaust ventilation.  
Vapours may form explosive mixtures with air.
- Advice on safe handling : Avoid inhalation of vapour or mist.  
Do not use in areas without adequate ventilation.  
Keep away from fire, sparks and heated surfaces.  
Keep container closed when not in use.  
Take precautionary measures against static discharges.
- Hygiene measures : Avoid contact with skin, eyes and clothing.  
Provide adequate ventilation.
- Conditions for safe storage : Take measures to prevent the build up of electrostatic charge.  
Use explosion-proof equipment.  
Keep containers tightly closed in a dry, cool and well-ventilated place.  
Keep away from sources of ignition - No smoking.  
Solvent vapours are heavier than air and may spread along floors.
- Materials to avoid : Strong oxidizing agents
- Further information on storage stability : Stable under normal conditions.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
2-methylpentane	107-83-5	TWA	500 ppm 1,760 mg/m <sup>3</sup>	AU OEL
		STEL	1,000 ppm 3,500 mg/m <sup>3</sup>	AU OEL
		TWA	500 ppm	ACGIH
		STEL	1,000 ppm	ACGIH
toluene	108-88-3	TWA	50 ppm 191 mg/m <sup>3</sup>	AU OEL
		Further information: Skin absorption		
		STEL	150 ppm 574 mg/m <sup>3</sup>	AU OEL
Further information: Skin absorption				
		TWA	20 ppm	ACGIH

## SAFETY DATA SHEET

Version 1.1      Revision Date: 13.09.2021      SDS Number: 10000013393      Date of last issue: 13.09.2021  
 Date of first issue: 13.09.2021

butanone	78-93-3	STEL	300 ppm 890 mg/m <sup>3</sup>	AU OEL
		TWA	150 ppm 445 mg/m <sup>3</sup>	AU OEL
		TWA	200 ppm	ACGIH
		STEL	300 ppm	ACGIH

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
toluene	108-88-3	Toluene	In blood	Prior to last shift of work-week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0.03 mg/l	ACGIH BEI
butanone	78-93-3	methyl ethyl ketone	Urine	End of shift (As soon as possible after exposure ceases)	2 mg/l	ACGIH BEI

**Engineering measures** : Use local exhaust ventilation or other engineering controls to minimize exposures.

### Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Organic vapour type

Hand protection  
Material : Solvent-resistant gloves

Eye protection : Safety glasses with side-shields

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2021
1.1	13.09.2021	100000013393	Date of first issue: 13.09.2021

---

Appearance	:	liquid
Colour	:	yellow
Odour	:	solvent-like
Odour Threshold	:	No data available
pH	:	Not applicable
Melting point/freezing point	:	is not determined
Boiling point/boiling range	:	94.5 °C  is not determined
Flash point	:	-15 °C
Evaporation rate	:	is not determined
Upper explosion limit / Upper flammability limit	:	Upper flammability limit is not determined
Lower explosion limit / Lower flammability limit	:	Lower flammability limit is not determined
Vapour pressure	:	is not determined
Density	:	0.80 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	is not determined
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	is not determined
Viscosity Viscosity, dynamic	:	is not determined
Viscosity, kinematic	:	is not determined

## SAFETY DATA SHEET

Version 1.1      Revision Date: 13.09.2021      SDS Number: 100000013393      Date of last issue: 13.09.2021  
Date of first issue: 13.09.2021

---

### SECTION 10. STABILITY AND REACTIVITY

Chemical stability : The product is chemically stable.

Possibility of hazardous reactions : Hazardous polymerisation does not occur.

Conditions to avoid : Heat, flames and sparks.

Hazardous decomposition products : Stable under normal conditions.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Components:

##### **toluene:**

Acute oral toxicity : LD50 Oral (Rat): 5,580 mg/kg

Acute inhalation toxicity : LC50 (Rat): 12.5 mg/l  
Exposure time: 4 h

#### Skin corrosion/irritation

##### Product:

Remarks : No data available

#### Serious eye damage/eye irritation

##### Product:

Remarks : No data available

#### Chronic toxicity

#### Germ cell mutagenicity

##### Product:

Genotoxicity in vitro : Remarks: No data available

#### Carcinogenicity

##### Product:



## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2021
1.1	13.09.2021	100000013393	Date of first issue: 13.09.2021

---

Remarks : No data available

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

### STOT - single exposure

#### Product:

Remarks : No data available

### STOT - repeated exposure

#### Product:

Remarks : No data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **toluene:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5.8 mg/l  
Exposure time: 96 h  
Test Type: semi-static test

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 5.46 - 9.83 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (microalgae)): 12.5  
plants : mg/l  
Exposure time: 72 h  
Test Type: static test

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

## SAFETY DATA SHEET

Version 1.1      Revision Date: 13.09.2021      SDS Number: 100000013393      Date of last issue: 13.09.2021  
Date of first issue: 13.09.2021

---

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Dispose of as hazardous waste in compliance with local and national regulations.  
The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 1133  
Proper shipping name : ADHESIVES  
Class : 3  
Packing group : III  
Labels : 3

#### IATA-DGR

UN/ID No. : UN 1133  
Proper shipping name : Adhesives  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

#### IMDG-Code

UN number : UN 1133  
Proper shipping name : ADHESIVES  
  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### ADG

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2021
1.1	13.09.2021	100000013393	Date of first issue: 13.09.2021

---

UN number : UN 1133  
Proper shipping name : ADHESIVES  
Class : 3  
Packing group : III  
Labels : 3  
Hazchem Code : •3Y

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 5  
Scheduling of Medicines and  
Poisons

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

### The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory  
TSCA : All substances listed as active on the TSCA inventory  
AIIC : On the inventory, or in compliance with the inventory  
DSL : All components of this product are on the Canadian DSL  
ENCS : On the inventory, or in compliance with the inventory  
ISHL : On the inventory, or in compliance with the inventory  
KECI : On the inventory, or in compliance with the inventory

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2021
1.1	13.09.2021	100000013393	Date of first issue: 13.09.2021

---

PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
CH INV	:	The formulation contains substances listed on the Swiss Inventory, On the inventory, or in compliance with the inventory
REACH	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

---

### SECTION 16. OTHER INFORMATION

#### Further information

Revision Date	:	13.09.2021
Contact Point	:	Prepared by: Global Regulatory Department - phone: 1-651-236-5842 - email: msds.request@hbfuller.com
Date format	:	dd.mm.yyyy

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
AU OEL / TWA	:	Exposure standard - time weighted average
AU OEL / STEL	:	Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 13.09.2021
1.1	13.09.2021	100000013393	Date of first issue: 13.09.2021

---

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN