

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.07.2022	100000022222	Date of first issue: 20.07.2022

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BUILDING FILLER PART A  
Product code : 100000022222

#### Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone number : 1800 033 111(AU) 0800 734 607(NZ)

#### Recommended use of the chemical and restrictions on use

Recommended use : Filler

Restrictions on use : For industrial use only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Flammable solids : Category 2

Serious eye damage/eye irritation : Category 2

Carcinogenicity : Category 1A

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2

#### GHS label elements

## SAFETY DATA SHEET

Version 1.0      Revision Date: 20.07.2022      SDS Number: 100000022222      Date of last issue: -  
Date of first issue: 20.07.2022

---

Hazard pictograms



Signal word

: Danger

Hazard statements

: H228 Flammable solid.  
H319 Causes serious eye irritation.  
H350 May cause cancer.  
H361 Suspected of damaging fertility or the unborn child.  
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

: **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from open flames/ hot surfaces. - No smoking.  
P240 Ground and bond container and receiving equipment.  
P241 Use explosion-proof electrical equipment.  
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash hands thoroughly after handling.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.  
**Response:**  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.  
**Storage:**  
P405 Store locked up.  
**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

## SAFETY DATA SHEET

Version 1.0      Revision Date: 20.07.2022      SDS Number: 10000022222      Date of last issue: -  
Date of first issue: 20.07.2022

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Talc, non-fibrous (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	14807-96-6	>= 30 -< 60
titanium dioxide (Airborne, unbound particles of respirable size)	13463-67-7	< 10
styrene (Monomer)	100-42-5	>= 3 -< 10
Sodium borosilicate	50815-87-7	< 10
quartz (SiO <sub>2</sub> )	14808-60-7	< 10

---

### SECTION 4. FIRST AID MEASURES

General advice : Show this safety data sheet to the doctor in attendance.

If inhaled : Move to fresh air.  
If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and water.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed : Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.

Most important symptoms and effects, both acute and delayed : None known.

---

### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Hazchem Code : •2YE

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.07.2022	100000022222	Date of first issue: 20.07.2022

Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.

Methods and materials for containment and cleaning up : Scrape up.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Shovel into suitable container for disposal.

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : None known.

Advice on safe handling : No special precautions are needed in handling this material.

Conditions for safe storage : Keep in a dry, cool place.

Materials to avoid : No special restrictions on storage with other products.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Talc, non-fibrous (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	14807-96-6	TWA	2.5 mg/m <sup>3</sup>	AU OEL
		TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH
titanium dioxide (Airborne, unbound particles of respirable size)	13463-67-7	TWA	10 mg/m <sup>3</sup>	AU OEL
		TWA	10 mg/m <sup>3</sup>	ACGIH
styrene (Monomer)	100-42-5	TWA	50 ppm 213 mg/m <sup>3</sup>	AU OEL
		STEL	100 ppm 426 mg/m <sup>3</sup>	AU OEL
		TWA	10 ppm	ACGIH
		STEL	20 ppm	ACGIH
quartz (SiO <sub>2</sub> )	14808-60-7	TWA (Respirable dust)	0.05 mg/m <sup>3</sup>	AU OEL
Further information: Category 1A (Carc. 1A) Known to have car-				

## SAFETY DATA SHEET

Version 1.0      Revision Date: 20.07.2022      SDS Number: 10000022222      Date of last issue: -  
 Date of first issue: 20.07.2022

		cinogenic potential for humans		
		TWA (Respirable particulate matter)	0.025 mg/m <sup>3</sup>	ACGIH

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
styrene (Monomer)	100-42-5	Styrene	Urine	End of shift (As soon as possible after exposure ceases)	40 µg/l	ACGIH BEI

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.  
 In case of insufficient ventilation, wear suitable respiratory equipment.

Hand protection  
 Material : Nitrile rubber

Eye protection : Safety glasses

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Colour : off-white

Odour : characteristic

Odour Threshold : no data available

pH : Not applicable

Melting point/freezing point : is not determined

Initial boiling point and boiling range : is not determined

## SAFETY DATA SHEET

Version 1.0	Revision Date: 20.07.2022	SDS Number: 10000022222	Date of last issue: - Date of first issue: 20.07.2022
----------------	------------------------------	----------------------------	--

---

Flash point	:	31 °C	
			Method: ASTM D 93, closed cup
Evaporation rate	:	is not determined	
Flammability (solid, gas)	:	Not classified as a flammability hazard	
Upper explosion limit / Upper flammability limit	:	Upper flammability limit Not applicable	
Lower explosion limit / Lower flammability limit	:	Lower flammability limit Not applicable	
Vapour pressure	:	is not determined	
Solubility(ies) Water solubility	:	dispersible	
Partition coefficient: n-octanol/water	:	no data available	
Auto-ignition temperature	:	is not determined	
Viscosity Viscosity, dynamic	:	is not determined	
			Viscosity, kinematic
	:	is not determined	

---

### SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	Hazardous polymerisation does not occur.
Hazardous decomposition products	:	Stable under normal conditions.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg
---------------------	---	--

## SAFETY DATA SHEET

Version 1.0      Revision Date: 20.07.2022      SDS Number: 100000022222      Date of last issue: -  
Date of first issue: 20.07.2022

---

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour  
Method: Calculation method

### **Components:**

#### **styrene (Monomer):**

Acute oral toxicity : LD50 Oral (Rat): 1,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 11.8 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

### **Skin corrosion/irritation**

#### **Product:**

Remarks : no data available

### **Serious eye damage/eye irritation**

#### **Product:**

Remarks : no data available

### **Chronic toxicity**

#### **Germ cell mutagenicity**

#### **Product:**

Genotoxicity in vitro : Remarks: no data available

### **Carcinogenicity**

#### **Product:**

Remarks : no data available

### **Components:**

#### **titanium dioxide (Airborne, unbound particles of respirable size):**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

## SAFETY DATA SHEET

Version 1.0      Revision Date: 20.07.2022      SDS Number: 100000022222      Date of last issue: -  
Date of first issue: 20.07.2022

---

### Reproductive toxicity

**Product:**

Effects on fertility : Remarks: no data available

### STOT - single exposure

**Product:**

Remarks : no data available

### STOT - repeated exposure

**Product:**

Remarks : no data available

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

**Components:**

**styrene (Monomer):**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 3.24 - 4.99 mg/l  
Exposure time: 96 h  
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.3 - 7.4 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 0.15 - 3.2 mg/l  
Exposure time: 96 h  
Test Type: static test

### Persistence and degradability

No data available

### Bioaccumulative potential

No data available

### Mobility in soil

No data available

---

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.07.2022	10000022222	Date of first issue: 20.07.2022

---

### Other adverse effects

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : To the best of our knowledge, this product does not meet the definition of hazardous waste. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.  
The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

---

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3269  
Proper shipping name : POLYESTER RESIN KIT  
Class : 3  
Packing group : III  
Labels : 3

#### IATA-DGR

UN/ID No. : UN 3269  
Proper shipping name : Polyester resin kit  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 370  
Packing instruction (passenger aircraft) : 370

#### IMDG-Code

UN number : UN 3269  
Proper shipping name : POLYESTER RESIN KIT  
  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

## SAFETY DATA SHEET

Version 1.0	Revision Date: 20.07.2022	SDS Number: 10000022222	Date of last issue: - Date of first issue: 20.07.2022
----------------	------------------------------	----------------------------	--

---

### ADG

UN number	:	UN 3269
Proper shipping name	:	POLYESTER RESIN KIT
Class	:	3
Packing group	:	III
Labels	:	3
Hazchem Code	:	•2YE

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and Poisons	:	No poison schedule number allocated
--	---	-------------------------------------

Prohibition/Licensing Requirements	:	quartz (SiO <sub>2</sub> ) Refer to model WHS Act and Regulations for prohibition, authorisation and restricted use.
------------------------------------	---	---

### The components of this product are reported in the following inventories:

TCSI	:	Not in compliance with the inventory
TSCA	:	Product contains substance(s) not listed on TSCA inventory.
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL.
ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.07.2022	100000022222	Date of first issue: 20.07.2022

---

PICCS	:	Not in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
REACH	:	Not in compliance with the inventory
TECI	:	Not in compliance with the inventory

---

### SECTION 16. OTHER INFORMATION

#### Further information

Revision Date	:	20.07.2022
Contact Point	:	Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com
Date format	:	dd.mm.yyyy

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	:	ACGIH - Biological Exposure Indices (BEI)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
AU OEL / TWA	:	Exposure standard - time weighted average
AU OEL / STEL	:	Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Con-

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.07.2022	10000022222	Date of first issue: 20.07.2022

---

centration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN

## SAFETY DATA SHEET

Version 1.0      Revision Date: 20.07.2022      SDS Number: 10000022221      Date of last issue: -  
Date of first issue: 20.07.2022

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BUILDING FILLER PART B  
Product code : 10000022221

#### Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone number : 1800 033 111(AU) 0800 734 607(NZ)

#### Recommended use of the chemical and restrictions on use

Recommended use : Hardener

Restrictions on use : For industrial use only.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Organic peroxides : Type E

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Category 1

Specific target organ toxicity - repeated exposure : Category 2

#### GHS label elements

Hazard pictograms :



Signal word : Warning

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.07.2022	100000022221	Date of first issue: 20.07.2022

---

Hazard statements : H242 Heating may cause a fire.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements : **Prevention:**  
P210 Keep away from open flames/ hot surfaces. - No smoking.  
P234 Keep only in original container.  
P240 Ground and bond container and receiving equipment.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P264 Wash hands thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P314 Get medical advice/ attention if you feel unwell.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Storage:**  
P403 + P235 Store in a well-ventilated place. Keep cool.  
P420 Store separately.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

---

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## SAFETY DATA SHEET

Version 1.0      Revision Date: 20.07.2022      SDS Number: 10000022221      Date of last issue: -  
Date of first issue: 20.07.2022

---

### Components

Chemical name	CAS-No.	Concentration (% w/w)
dibenzoyl peroxide	94-36-0	>= 30 -< 60
dibutyl maleate	105-76-0	>= 30 -< 60

---

### SECTION 4. FIRST AID MEASURES

- General advice : Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and water.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- If swallowed : Do not induce vomiting. Seek medical attention if symptoms develop. Provide medical care provider with this SDS.
- Most important symptoms and effects, both acute and delayed : None known.
- 

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Hazchem Code : 1W
- 

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Refer to protective measures listed in sections 7 and 8.
- Methods and materials for containment and cleaning up : Scrape up.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Shovel into suitable container for disposal.
-

## SAFETY DATA SHEET

Version 1.0      Revision Date: 20.07.2022      SDS Number: 10000022221      Date of last issue: -  
 Date of first issue: 20.07.2022

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : None known.
- Advice on safe handling : No special precautions are needed in handling this material.
- Conditions for safe storage : Keep in a dry, cool place.
- Materials to avoid : No special restrictions on storage with other products.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dibenzoyl peroxide	94-36-0	TWA	5 mg/m <sup>3</sup>	AU OEL
Further information: Sensitiser				
		TWA	5 mg/m <sup>3</sup>	ACGIH

#### Personal protective equipment

- Respiratory protection : No personal respiratory protective equipment normally required.  
 In case of insufficient ventilation, wear suitable respiratory equipment.
- Hand protection  
 Material : Nitrile rubber
- Eye protection : Safety glasses

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : paste
- Odour : characteristic
- Odour Threshold : no data available
- pH : Not applicable

## SAFETY DATA SHEET

Version 1.0	Revision Date: 20.07.2022	SDS Number: 100000022221	Date of last issue: - Date of first issue: 20.07.2022
----------------	------------------------------	-----------------------------	--

---

Melting point/freezing point	:	is not determined
Initial boiling point and boiling range	:	is not determined
Flash point	:	Not applicable
Evaporation rate	:	is not determined
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	Upper flammability limit Not applicable
Lower explosion limit / Lower flammability limit	:	Lower flammability limit Not applicable
Vapour pressure	:	is not determined
Density	:	1.1 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	dispersible
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	is not determined
Viscosity Viscosity, dynamic	:	is not determined
Viscosity, kinematic	:	is not determined

---

### SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	The product is chemically stable.
Possibility of hazardous reactions	:	Hazardous polymerisation does not occur.
Hazardous decomposition products	:	Stable under normal conditions.

## SAFETY DATA SHEET

Version 1.0	Revision Date: 20.07.2022	SDS Number: 100000022221	Date of last issue: - Date of first issue: 20.07.2022
----------------	------------------------------	-----------------------------	--

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Skin corrosion/irritation

**Product:**

Remarks : no data available

#### Serious eye damage/eye irritation

**Product:**

Remarks : no data available

#### Chronic toxicity

#### Germ cell mutagenicity

**Product:**

Genotoxicity in vitro : Remarks: no data available

#### Carcinogenicity

**Product:**

Remarks : no data available

#### Reproductive toxicity

**Product:**

Effects on fertility : Remarks: no data available

#### STOT - single exposure

**Product:**

Remarks : no data available

#### STOT - repeated exposure

**Product:**

Remarks : no data available

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.07.2022	10000022221	Date of first issue: 20.07.2022

---

### SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

No data available

**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

### SECTION 13. DISPOSAL CONSIDERATIONS

**Disposal methods**

Waste from residues : To the best of our knowledge, this product does not meet the definition of hazardous waste. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities for more restrictive requirements.  
The hazard and precautionary statements displayed on the label also apply to any residues left in the container.

---

### SECTION 14. TRANSPORT INFORMATION

**International Regulations****UNRTDG**

UN number : UN 3108  
Proper shipping name :  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2

**IATA-DGR**

UN/ID No. : UN 3108  
Proper shipping name :  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : Organic Peroxides, Keep Away From Heat  
Packing instruction (cargo aircraft) : 570  
Packing instruction (passenger aircraft) : 570

---

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.07.2022	100000022221	Date of first issue: 20.07.2022

---

### IMDG-Code

UN number : UN 3108  
Proper shipping name :

Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2  
EmS Code : F-J, S-R  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### ADG

UN number : UN 3108  
Proper shipping name :  
Class : 5.2  
Packing group : Not assigned by regulation  
Labels : 5.2  
Hazchem Code : 1W

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 5  
Scheduling of Medicines and  
Poisons

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

## SAFETY DATA SHEET

Version 1.0	Revision Date: 20.07.2022	SDS Number: 10000022221	Date of last issue: - Date of first issue: 20.07.2022
----------------	------------------------------	----------------------------	--

---

TCSI	:	On the inventory, or in compliance with the inventory
TSCA	:	All substances listed as active on the TSCA inventory
AIIC	:	On the inventory, or in compliance with the inventory
DSL	:	All components of this product are on the Canadian DSL
ENCS	:	On the inventory, or in compliance with the inventory
ISHL	:	On the inventory, or in compliance with the inventory
KECI	:	On the inventory, or in compliance with the inventory
PICCS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
REACH	:	Not in compliance with the inventory
TECI	:	On the inventory, or in compliance with the inventory

---

### SECTION 16. OTHER INFORMATION

#### Further information

Revision Date	:	20.07.2022
Contact Point	:	Prepared by: Global Regulatory Office - phone: 1-651-236-5842 - email: msds.request@hbfuller.com
Date format	:	dd.mm.yyyy

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
AU OEL	:	Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA	:	8-hour, time-weighted average
AU OEL / TWA	:	Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for

## SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	20.07.2022	10000022221	Date of first issue: 20.07.2022

---

Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN