

Vers 1.6	sion	Revision Date: 09.01.2023		S Number: 0000012679	Date of last issue: 28.10.2021 Date of first issue: 05.08.2020
SEC	TION 1.		1PA	NY IDENTIFICATI	ON
	Product	name	:	FULAPRENE 303	3
	Product	code	:	100000012679	
	Manufa	cturer or supplier's d	etai	ils	
	Compa	ny	:	H.B. Fuller Comp	any Australia Pty. Ltd.
	Address	5	:	16-22 Red Gum	Drive Dandenong South, VIC 3175
	Telepho	one	:	+611800423855	
	Emerge	ency telephone number	:	1800 033 111(AL	J) 0800 734 607(NZ)
	Recom	mended use of the ch	nem	ical and restrictio	ons on use
	Recom	mended use	:	Solvent based ad	lhesive
	Restrict	ions on use	:	For industrial use	only.

## **SECTION 2. HAZARDS IDENTIFICATION**

GHS Classification Flammable liquids	:	Category 2
Skin corrosion/irritation	:	Category 2
Reproductive toxicity	:	Category 1A
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system, Central nervous system)
Specific target organ toxicity - repeated exposure	:	Category 2

## **GHS** label elements



Version 1.6	Revision Date: 09.01.2023	SDS Number: 100000012679	Date of last issue: 28.10.2021 Date of first issue: 05.08.2020
Haza	rd pictograms		
Signa	al word	: Danger	
Haza	rd statements	H315 Causes H335 May cau H336 May cau H360 May dan	se respiratory irritation. se drowsiness or dizziness. nage fertility or the unborn child. se damage to organs through prolonged or re-
Preca	autionary statements	P202 Do not h and understoo P210 Keep aw and other ignit P233 Keep co P240 Ground a P241 Use expl ment. P242 Use non P243 Take act P260 Do not b P264 Wash sk P271 Use only P280 Wear pro	pecial instructions before use. andle until all safety precautions have been read d. vay from heat, hot surfaces, sparks, open flames ion sources. No smoking. ntainer tightly closed. and bond container and receiving equipment. losion-proof electrical/ ventilating/ lighting equip- -sparking tools. ion to prevent static discharges. reathe mist or vapours. in thoroughly after handling. outdoors or in a well-ventilated area. bective gloves/ protective clothing/ eye protec- ection/ hearing protection.
		ly all contamin P304 + P340 + and keep comi doctor if you fe P308 + P313 I attention. P332 + P313 I tion. P362 + P364 T reuse. P370 + P378 I	<ul> <li>P353 IF ON SKIN (or hair): Take off immediate- ated clothing. Rinse skin with water.</li> <li>P312 IF INHALED: Remove person to fresh air fortable for breathing. Call a POISON CENTER/ bel unwell.</li> <li>F exposed or concerned: Get medical advice/</li> <li>f skin irritation occurs: Get medical advice/ atten- Take off contaminated clothing and wash it before n case of fire: Use dry sand, dry chemical or nt foam to extinguish.</li> </ul>



Version	Revision Date:	SDS Number:	Date of last issue: 28.10.2021
1.6	09.01.2023	10000012679	Date of first issue: 05.08.2020

#### Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

### Components

Chemical name	CAS-No.	Concentration (% w/w)
toluene	108-88-3	>= 20 -< 30
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 20 -< 30
quartz (SiO2)	14808-60-7	>= 10 -< 30
butanone	78-93-3	< 10
Wollastonite (Ca(SiO3))	13983-17-0	< 10
magnesium oxide	1309-48-4	< 10

## **SECTION 4. FIRST AID MEASURES**

General advice	:	Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. If symptoms persist, call a physician.
In case of skin contact	:	Wash off with soap and water. Get medical attention if irritation develops and persists.
In case of eye contact	:	Flush eyes with water at least 15 minutes. Get medical atten- tion if eye irritation develops or persists.
If swallowed	:	Do NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person. Obtain medical attention.



Version 1.6	Revision Date: 09.01.2023		OS Number: 0000012679	Date of last issue: 28.10.2021 Date of first issue: 05.08.2020		
	t important symptoms effects, both acute and yed	:	None known.			
SECTION	N 5. FIREFIGHTING MEA	SU	RES			
Suita	able extinguishing media	:	Use water spray, bon dioxide.	alcohol-resistant foam, dry chemical or car-		
Spec fight	cific hazards during fire- ing	:	Cool closed conta	iners exposed to fire with water spray.		
	cial protective equipment refighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.			
Hazo	chem Code	:	•3Y			
SECTION	N 6. ACCIDENTAL RELE	AS	E MEASURES			
tive	conal precautions, protec- equipment and emer- cy procedures	:	tions. Vapours ca	es of ignition. s accumulating to form explosive concentra- n accumulate in low areas. e measures listed in sections 7 and 8.		
Envi	ronmental precautions	:	Prevent spreading over a wide area (e.g. by containment o barriers).			
	nods and materials for ainment and cleaning up	:	Sweep up and sh	ak up with inert absorbent material. eep up and shovel into suitable containers for disposal. n-sparking tools should be used.		
SECTION	SECTION 7. HANDLING AND STORAGE					
Loca	al/Total ventilation	:	Use only with ade	quate ventilation.		
	ce on protection against and explosion	:	ignition. Mixture may char	open flames, hot surfaces and sources of ge electrostatically: always use earthing erring from one container to another.		

Use only in area provided with appropriate exhaust ventilation.<br/>Vapours may form explosive mixtures with air.Advice on safe handling:Avoid inhalation of vapour or mist.

Keep in a bunded area.

Use explosion-proof equipment.

Keep away from sources of ignition - No smoking.

Take measures to prevent the build up of electrostatic charge.



Version 1.6	Revision Date: 09.01.2023		DS Number: 00000012679	Date of last issue: 28.10.2021 Date of first issue: 05.08.2020
			Keep away from t Keep container c	as without adequate ventilation. fire, sparks and heated surfaces. osed when not in use. ry measures against static discharges.
Hygie	ene measures	:	Avoid contact with Provide adequate	h skin, eyes and clothing. e ventilation.
Cond	itions for safe storage	:	Use explosion-pro Keep containers ventilated place. Keep away from	o prevent the build up of electrostatic charge. bof equipment. tightly closed in a dry, cool and well- sources of ignition - No smoking. are heavier than air and may spread along
Mate	rials to avoid	:	Strong oxidizing a	agents
	er information on stor- tability	:	Stable under norr	nal conditions.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
toluene	108-88-3	TWA	50 ppm 191 mg/m3	AU OEL
	Further inform	ation: Skin abso	rption	
		STEL	150 ppm 574 mg/m3	AU OEL
	Further inform	ation: Skin abso	rption	
		TWA	20 ppm	ACGIH
Naphtha (petroleum), hy- drotreated light	64742-49-0	TWA	900 mg/m3	AU OEL
quartz (SiO2)	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	AU OEL
		ation: Category 1A (Carc. 1A) Known to have c ential for humans		
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3	ACGIH
butanone	78-93-3	STEL	300 ppm 890 mg/m3	AU OEL



Version 1.6	Revision Date:         SDS Number:           09.01.2023         100000012679		Date of last issue: 28.10.2021 Date of first issue: 05.08.2020			
			TWA	150 ppm 445 mg/m3	AU OEL	
			TWA	200 ppm	ACGIH	
			STEL	300 ppm	ACGIH	
Wolla	istonite (Ca(SiO3))	13983-17-0	TWA (Inhal- able particu- late matter)	1 mg/m3	ACGIH	
magn	nesium oxide	1309-48-4	TWA (Fumes)	10 mg/m3	AU OEL	
			TWA (Inhal- able particu- late matter)	10 mg/m3	ACGIH	

## **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
toluene	108-88-3	Toluene	In blood	Prior to last shift of work- week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0.03 mg/l	ACGIH BEI
butanone	78-93-3	methyl ethyl ketone	Urine	End of shift (As soon as possible after exposure ceases)	2 mg/l	ACGIH BEI

Engineering measures

: Use local exhaust ventilation or other engineering controls to minimize exposures.

#### Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Filter type	:	Organic vapour type
Hand protection Material	:	Solvent-resistant gloves



Version 1.6	Revision Date: 09.01.2023		S Number: 0000012679	Date of last issue: 28.10.2021 Date of first issue: 05.08.2020
Eye p	rotection	:	Safety glasses w	vith side-shields
SECTION	9. PHYSICAL AND CHI	EMI		S
Appea	arance	:	liquid	
Colou	ır	:	grey	
Odou	r	:	solvent-like	
Odou	r Threshold	:	no data availabl	e
pН		:	Not applicable	
Meltir	ng point/freezing point	:	is not determine	ed
Boilin	g point/boiling range	:	is not determine	d
Flash	point	:	4 °C	
			Method: ASTM	D 93
Evapo	oration rate	:	is not determine	ed
	r explosion limit / Upper nability limit	:	Upper flammabi	
	r explosion limit / Lower nability limit	:	Lower flammabi	•
Vapo	ur pressure	:	is not determine	ed
Densi	ity	:	1.060 g/cm <sup>3</sup>	
	ility(ies) ater solubility	:	is not determine	ed
	ion coefficient: n- ol/water	:	no data availabl	e
Auto-	ignition temperature	:	is not determine	ed
Visco	sity			



Version 1.6	Revision Date: 09.01.2023	SDS Number: 100000012679	Date of last issue: 28.10.2021 Date of first issue: 05.08.2020
Vi	scosity, dynamic	: is not determin	ed
Viscosity, kinematic		: is not determin	ed

## SECTION 10. STABILITY AND REACTIVITY

Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Hazardous polymerisation does not occur.
Conditions to avoid	:	Heat, flames and sparks.
Hazardous decomposition products	:	Stable under normal conditions.

## SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity		
Components:		
<b>toluene:</b> Acute oral toxicity	:	LD50 Oral (Rat): 5,580 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 12.5 mg/l Exposure time: 4 h
Skin corrosion/irritation		
<u>Product:</u> Remarks	:	no data available
Serious eye damage/eye ir	ritati	on
<u>Product:</u> Remarks	÷	no data available
Chronic toxicity		

## Germ cell mutagenicity

## Product:

Genotoxicity in vitro	:	Remarks: no data available
-----------------------	---	----------------------------



Version 1.6	Revision Date: 09.01.2023	SDS Number 10000001267	
Carci	nogenicity		
<u>Produ</u>	<u>ict:</u>		
Rema	rks	: no data a	vailable
Repro	oductive toxicity		
<u>Produ</u>	<u>ict:</u>		
Effect	s on fertility	: Remarks:	no data available
STOT	- single exposure		
<u>Produ</u>	<u>ict:</u>		
Rema	rks	: no data a	vailable
STOT	- repeated exposure		
<u>Produ</u>	<u>ict:</u>		
Rema	rks	: no data a	vailable
SECTION	12. ECOLOGICAL INF		

## SECTION 12. ECOLOGICAL INFORMATION

	Ecotoxicity
	No data available
	Persistence and degradability
	No data available
	Bioaccumulative potential
	No data available
	Mobility in soil
	No data available
	Other adverse effects
	No data available
EC	No data available

# SEC

Disposal methods		
Waste from residues	:	Dispose of as hazardous waste in compliance with local and national regulations. The hazard and precautionary statements displayed on the label also apply to any residues left in the container.



Version	Revision Date:	SDS Number:	Date of last issue: 28.10.2021
1.6	09.01.2023	10000012679	Date of first issue: 05.08.2020

#### **SECTION 14. TRANSPORT INFORMATION**

#### International Regulations

<b>UNRTDG</b> UN number Proper shipping name Class Packing group Labels	: UN 1133 : ADHESIVES : 3 : III : 3
IATA-DGR UN/ID No. Proper shipping name Class Packing group Labels Packing instruction (cargo aircraft) Packing instruction (passen- ger aircraft)	<ul> <li>UN 1133</li> <li>Adhesives</li> <li>3</li> <li>III</li> <li>Flammable Liquids</li> <li>366</li> <li>355</li> </ul>
<b>IMDG-Code</b> UN number Proper shipping name	: UN 1133 : ADHESIVES
Class Packing group Labels EmS Code Marine pollutant	: 3 : III : 3 : F-E, S-D : no

## Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## **National Regulations**

ADG	
UN number	: UN 1133
Proper shipping name	: ADHESIVES
Class	: 3
Packing group	: 111
Labels	: 3
Hazchem Code	: •3Y

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.



Version	Revision Date:	SDS Number:	Date of last issue: 28.10.2021
1.6	09.01.2023	100000012679	Date of first issue: 05.08.2020

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 5 Scheduling of Medicines and Poisons

Prohibition/Licensing Requirements

: quartz (SiO2) Refer to model WHS Act and Regulations for prohibition, authorisation and restricted use.

The components of this product are reported in the following inventories:			
TCSI	:	Not in compliance with the inventory	
TSCA	:	Product contains substance(s) not listed on TSCA inventory.	
AIIC	:	On the inventory, or in compliance with the inventory	
DSL	:	This product contains the following components that are not on the Canadian DSL nor NDSL.	

ENCS	:	Not in compliance with the inventory
ISHL	:	Not in compliance with the inventory
KECI	:	Not in compliance with the inventory
PICCS	:	Not in compliance with the inventory
IECSC	:	Not in compliance with the inventory
NZIoC	:	Not in compliance with the inventory
CHINV	:	The formulation contains substances listed on the Swiss Inventory, Not in compliance with the inventory
REACH	:	Not in compliance with the inventory



Versi 1.6	ion	Revision Date: 09.01.2023		DS Number: 0000012679	Date of last issue: 28.10.2021 Date of first issue: 05.08.2020	
	MYINV		:	Not in compliance	e with the inventory	
	KKDIK		:	Not in compliance with the inventory		
TECI		:	Not in compliance with the inventory			
SECTION 16. OTHER INFORMATION						
	Furtho	r information				
	Revision Date		:	09.01.2023		
	Contact Point		:	Prepared by: Global Regulatory Office - phone: 1-651-236- 5842 - email: msds.request@hbfuller.com		
	Date format		:	dd.mm.yyyy		
	Full te	xt of other abbreviati	ons			
ACGIH:USA. ACGIH Threshold Limit VACGIH BEI:ACGIH - Biological Exposure IAU OEL:Australia. Workplace Exposure taminants.						
	ACGIH / TWA:8-hour, time-weighted averageACGIH / STEL:Short-term exposure limitAU OEL / TWA:Exposure standard - time weighted averageAU OEL / STEL:Exposure standard - short term exposure limit		ure limit d - time weighted average d - short term exposure limit			
	Land o	f Brazil; ASTM - Ame	ricar	n Society for the To	s; ANTT - National Agency for Transport by esting of Materials; bw - Body weight; CMR - DIN - Standard of the German Institute for	

ogen, Mutagen or Reproductive Toxicant; DIN andard of the German Institut Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect



Version	Revision Date:	SDS Number:	Date of last issue: 28.10.2021
1.6	09.01.2023	10000012679	Date of first issue: 05.08.2020

Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN