

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022222	Date of first issue: 20.07.2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BUILDING FILLER PART A
Product code : 100000022222

Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone number : 1800 033 111(AU) 0800 734 607(NZ)

Recommended use of the chemical and restrictions on use

Recommended use : Polyester resin

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 3

Serious eye damage/eye irritation : Category 2A

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2

GHS label elements

Hazard pictograms :



Signal word : Warning

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022222	Date of first issue: 20.07.2022

Hazard statements : H226 Flammable liquid and vapour.
H319 Causes serious eye irritation.
H361 Suspected of damaging fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from open flames/ hot surfaces. - No smoking.
P233 Keep container tightly closed.
P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical equipment.
P242 Use non-sparking tools.
P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:
P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022222	Date of first issue: 20.07.2022

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Talc (Mg ₃ H ₂ (SiO ₃) ₄)	14807-96-6	>= 30 -< 60
titanium dioxide	13463-67-7	< 10
styrene (Monomer)	100-42-5	>= 3 -< 10
Sodium borosilicate	50815-87-7	< 10
quartz (SiO ₂)	14808-60-7	< 10

SECTION 4. FIRST AID MEASURES

General advice : If on clothes, remove clothes.
Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may even occur after several hours;
therefore medical observation for at least 48 hours after the
accident.

If inhaled : Remove person to fresh air. If signs/symptoms continue, get
medical attention.
In case of unconsciousness bring patient into stable side posi-
tion for transport.

In case of skin contact : Wash off immediately with soap and plenty of water while
removing all contaminated clothes and shoes.
Call a physician if irritation develops or persists.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical atten-
tion if eye irritation develops or persists.

If swallowed : Do NOT induce vomiting.
If accidentally swallowed obtain immediate medical attention.
Rinse mouth with water.
If conscious, drink fresh water.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.
Suspected of damaging fertility or the unborn child.
May cause damage to organs through prolonged or repeated
exposure.

Notes to physician : No further relevant information available.

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022222	Date of first issue: 20.07.2022

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water mist
Dry powder
Carbon dioxide (CO₂)
Alcohol-resistant foam
- Unsuitable extinguishing media : Do NOT use water jet.
- Specific hazards during fire-fighting : May release toxic, irritating and/or corrosive gases.
In case of fire, the following substance(s) may occur:
Carbon monoxide
- Specific extinguishing methods : In the event of fire, wear self-contained breathing apparatus.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
- Hazchem Code : •2YE

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.
Use personal protective equipment.
Use breathing protection against the effects of fumes/dust/aerosol.
Evacuate personnel to safe areas.
Ensure adequate ventilation.
- Environmental precautions : If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Non-sparking tools should be used.
Ensure adequate ventilation.
Send for recovery or disposal in suitable containers.

SECTION 7. HANDLING AND STORAGE

- Local/Total ventilation : Use only with adequate ventilation.

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022222	Date of first issue: 20.07.2022

- Advice on protection against fire and explosion : Keep product and empty container away from heat and sources of ignition.
Do not smoke.
Take measures to prevent the build up of electrostatic charge.
May form explosive mixtures in air.
Highly volatile, flammable constituents are released during processing.
In the event of fire and/or explosion do not breathe fumes.
Keep breathing equipment ready.
Have fire extinguishing equipment ready in case of nearby fire.
- Advice on safe handling : Avoid formation of dust and aerosols.
Take note of emission threshold.
Use solvent-proof equipment.
Ensure that suitable extractors are available on processing machines.
Handle with care.
Keep eye wash bottle available on working place.
Avoid release to the environment.
Keep out of reach of children.
- Conditions for safe storage : Keep tightly closed in a dry, cool and well-ventilated place.
Do not freeze.
Protect against light.
- Further information on storage conditions : Keep containers tightly closed in a dry, cool and well-ventilated place.
Store in a cool place. Heat will increase pressure and may lead to the container exploding.
- Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Talc ($\text{Mg}_3\text{H}_2(\text{SiO}_3)_4$)	14807-96-6	TWA	2.5 mg/m ³	AU OEL
titanium dioxide	13463-67-7	TWA	10 mg/m ³	AU OEL
quartz (SiO_2)	14808-60-7	TWA (Respirable dust)	0.05 mg/m ³	AU OEL
Further information: Category 1A (Carc. 1A) Known to have carcinogenic potential for humans				

Engineering measures : Please take care on national and local requirements.

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022222	Date of first issue: 20.07.2022

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
In case of brief exposure or low pollution (exceeding of TLV) use breathing filter apparatus.
In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.
Ensure that suitable extractors are available on processing machines.

Filter type : Combined particulates and organic vapour type or equipment with better protection

Hand protection
Material : Nitrile rubber or equipment with better protection

Remarks : Direct contact with the product must be avoided by organizational measures.

The glove material has to be impermeable and resistant to the product/the substance/the preparation.
The exact break through time can be obtained from the protective glove producer and this has to be observed.
The gloves need to be disposed after the penetration time and replaced by new ones.
Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

For the permanent contact gloves made of the following materials are suitable:

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the Barrier 02-100 underglove from Ansell or other suppliers (penetration time: 480 min).

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber (minimum thickness: 0.7 mm; penetration time: 15 min)

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022222	Date of first issue: 20.07.2022

As protection from splashes gloves made of the following materials are suitable:

Nitril (minimum thickness 0.12 mm), Disposable gloves with long cuffs

After contact with the chemical preparation, take the disposable nitrile glove off immediately and put on a new disposable nitrile glove.

Eye protection	:	Tightly fitting safety goggles or equipment with better protection
Skin and body protection	:	Protective clothing
Protective measures	:	Keep away from food, drink and animal feedingstuffs. Instantly remove any soiled and impregnated garments. Wash hands before breaks and immediately after handling the product. Avoid contact with the eyes and skin. Store protective clothing separately.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Colour	:	off-white
Odour	:	characteristic
Odour Threshold	:	is not determined
pH	:	is not determined
Melting point/freezing point	:	is not determined
Flash point	:	31 °C Method: closed cup
Evaporation rate	:	is not determined
Relative vapour density	:	is not determined

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022222	Date of first issue: 20.07.2022

Solubility(ies)	
Water solubility	: not miscible or difficult to mix
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: is not determined
Decomposition temperature	: Not applicable
Explosive properties	: Product is not explosive. However, formation of explosive vapour/air mixtures is possible.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: No further relevant information available.
Chemical stability	: No decomposition if used according to the specifications.
Possibility of hazardous reactions	: Develops readily flammable vapours/fumes.
Conditions to avoid	: No further relevant information available.
Incompatible materials	: No further relevant information available.
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity	: Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate: > 20 mg/l Exposure time: 4 Hours Test atmosphere: vapour Method: Calculation method

Components:

styrene (Monomer):

Acute oral toxicity	: LD50 Oral (Rat): 1,000 mg/kg
---------------------	--------------------------------

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022222	Date of first issue: 20.07.2022

Acute inhalation toxicity : LC50 (Rat): 11.8 mg/l
Exposure time: 4 Hours
Test atmosphere: vapour

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Components:

titanium dioxide:

Carcinogenicity - Assessment : Not classifiable as a human carcinogen

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022222	Date of first issue: 20.07.2022

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

styrene (Monomer):

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 3.24 - 4.99 mg/l
Exposure time: 96 Hours
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.3 - 7.4 mg/l
Exposure time: 48 Hours
Test Type: static test

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (microalgae)): 0.15 - 3.2 mg/l
Exposure time: 96 Hours
Test Type: static test

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

Product:

Mobility : Medium: Soil
Remarks: Do not allow product to reach ground water, water bodies or sewage system.

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging : Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022222	Date of first issue: 20.07.2022

UNRTDG

UN number	: UN 3269
Proper shipping name	: POLYESTER RESIN KIT
Class	: 3
Packing group	: III
Labels	: 3

IATA-DGR

UN/ID No.	: UN 3269
Proper shipping name	: Polyester resin kit
Class	: 3
Packing group	: III
Labels	: Flammable Liquids
Packing instruction (cargo aircraft)	: 370
Packing instruction (passenger aircraft)	: 370

IMDG-Code

UN number	: UN 3269
Proper shipping name	: POLYESTER RESIN KIT
Class	: 3
Packing group	: III
Labels	: 3
EmS Code	: F-E, S-D
Marine pollutant	: no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number	: UN 3269
Proper shipping name	: POLYESTER RESIN KIT
Class	: 3
Packing group	: III
Labels	: 3
Hazchem Code	: •2YE

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022222	Date of first issue: 20.07.2022

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons : No poison schedule number allocated
Standard) Instrument

Prohibition/Licensing Requirements : quartz (SiO₂)
Refer to model WHS Act and Regulations for prohibition, authorisation and restricted use.

The components of this product are reported in the following inventories:

TCSI	: Not in compliance with the inventory
TSCA	: Product contains substance(s) not listed on TSCA inventory.
AIIC	: On the inventory, or in compliance with the inventory
DSL	: This product contains the following components that are not on the Canadian DSL nor NDSL.
ENCS	: Not in compliance with the inventory
ISHL	: Not in compliance with the inventory
KECI	: Not in compliance with the inventory
PICCS	: Not in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: Not in compliance with the inventory
REACH	: Not in compliance with the inventory
TECI	: Not in compliance with the inventory

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022222	Date of first issue: 20.07.2022

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 30.07.2024

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.

Contact Point : Prepared by: Global Regulatory Department
EU-MSDS@hbfuller.com

Date format : dd.mm.yyyy

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022222	Date of first issue: 20.07.2022

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022221	Date of first issue: 20.07.2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : BUILDING FILLER PART B
Product code : 100000022221

Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone number : 1800 033 111(AU) 0800 734 607(NZ)

Recommended use of the chemical and restrictions on use

Recommended use : Hardener / Curing agent

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Organic peroxides : Type E

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Category 1

Specific target organ toxicity - repeated exposure : Category 2

GHS label elements

Hazard pictograms :



Signal word : Warning

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022221	Date of first issue: 20.07.2022

Hazard statements : H242 Heating may cause a fire.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements : **Prevention:**
P210 Keep away from open flames/ hot surfaces. - No smoking.
P234 Keep only in original container.
P240 Ground and bond container and receiving equipment.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash hands thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:
P403 + P235 Store in a well-ventilated place. Keep cool.
P420 Store separately.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022221	Date of first issue: 20.07.2022

Components

Chemical name	CAS-No.	Concentration (% w/w)
dibenzoyl peroxide	94-36-0	>= 30 -< 60
dibutyl maleate	105-76-0	>= 30 -< 60

SECTION 4. FIRST AID MEASURES

- General advice : Show this safety data sheet to the doctor in attendance.
Symptoms of poisoning may even occur after several hours;
therefore medical observation for at least 48 hours after the
accident.
- If inhaled : Remove person to fresh air. If signs/symptoms continue, get
medical attention.
In case of unconsciousness bring patient into stable side posi-
tion for transport.
- In case of skin contact : Call a physician if irritation develops or persists.
- In case of eye contact : Flush eyes with water at least 15 minutes. Get medical atten-
tion if eye irritation develops or persists.
- If swallowed : Do NOT induce vomiting.
If accidentally swallowed obtain immediate medical attention.
Rinse mouth with water.
If conscious, drink fresh water.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Causes serious eye irritation.
May cause damage to organs through prolonged or repeated
exposure.
- Notes to physician : No further relevant information available.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-
cumstances and the surrounding environment.
Water mist
Dry powder
Carbon dioxide (CO₂)
Alcohol-resistant foam
- Specific hazards during fire- : May release toxic, irritating and/or corrosive gases.

SAFETY DATA SHEET

Version 1.1	Revision Date: 30.07.2024	SDS Number: 100000022221	Date of last issue: 20.07.2022 Date of first issue: 20.07.2022
----------------	------------------------------	-----------------------------	---

fighting	In case of fire, the following substance(s) may occur: Nitrogen oxides Carbon monoxide
Specific extinguishing methods	: In the event of fire, wear self-contained breathing apparatus. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus.
Hazchem Code	: 1W

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation.
Environmental precautions	: If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Ensure adequate ventilation. Send for recovery or disposal in suitable containers. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation	: Use only with adequate ventilation.
Advice on protection against fire and explosion	: In the event of fire and/or explosion do not breathe fumes. Keep breathing equipment ready. Have fire extinguishing equipment ready in case of nearby fire.
Advice on safe handling	: Avoid formation of dust and aerosols. Handle with care. Keep eye wash bottle available on working place. Avoid release to the environment. Keep out of reach of children. Use only in an area equipped with a safety shower.
Conditions for safe storage	: Keep dark, cool and dry. Do not freeze. Keep container closed when not in use.
Further information on storage	: Store in a cool place. Heat will increase pressure and may

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022221	Date of first issue: 20.07.2022

age conditions lead to the container exploding.

Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
dibenzoyl peroxide	94-36-0	TWA	5 mg/m ³	AU OEL
Further information: Sensitiser				

Engineering measures : Please take care on national and local requirements.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate risk management measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
In case of brief exposure or low pollution (exceeding of TLV) use breathing filter apparatus.
In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

Filter type : Combined particulates and organic vapour type or equipment with better protection

Hand protection
Material : Nitrile rubber or equipment with better protection

Remarks : Direct contact with the product must be avoided by organizational measures.
The glove material has to be impermeable and resistant to the product/the substance/the preparation. The exact break through time can be obtained from the protective glove producer and this has to be observed. The gloves need to be disposed after the penetration time and replaced by new ones. Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

For the permanent contact gloves made of the following materials are suitable:

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended.

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022221	Date of first issue: 20.07.2022

ed in combination with the Barrier 02-100 underglove from Ansell or other suppliers (penetration time: 480 min).

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber (minimum thickness: 0.7 mm; penetration time: 15 min)

As protection from splashes gloves made of the following materials are suitable:

Nitril (minimum thickness 0.12 mm), Disposable gloves with long cuffs

After contact with the chemical preparation, take the disposable nitrile glove off immediately and put on a new disposable nitrile glove.

Eye protection	:	Tightly fitting safety goggles or equipment with better protection
Skin and body protection	:	Protective clothing
Protective measures	:	Keep away from food, drink and animal feedingstuffs. Instantly remove any soiled and impregnated garments. Wash hands before breaks and immediately after handling the product. Avoid contact with the eyes and skin. Store protective clothing separately.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	paste
Odour	:	characteristic
Odour Threshold	:	is not determined
Melting point/freezing point	:	is not determined
Boiling point/boiling range	:	is not determined
Flash point	:	Not applicable
Evaporation rate	:	is not determined

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022221	Date of first issue: 20.07.2022

Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	Upper flammability limit is not determined
Lower explosion limit / Lower flammability limit	:	Lower flammability limit is not determined
Vapour pressure	:	is not determined
Relative vapour density	:	is not determined
Density	:	1.1 g/cm ³
Solubility(ies)	:	
Water solubility	:	not miscible or difficult to mix
Partition coefficient: n-octanol/water	:	no data available
Auto-ignition temperature	:	not self-igniting
Decomposition temperature	:	Not applicable
Explosive properties	:	Not explosive

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No further relevant information available.
Chemical stability	:	No decomposition if used according to the specifications.
Possibility of hazardous reactions	:	Strong exothermic reaction with acids.
Conditions to avoid	:	No further relevant information available.
Incompatible materials	:	No further relevant information available.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022221	Date of first issue: 20.07.2022

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Chronic toxicity**Germ cell mutagenicity**

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential**Components:****dibenzoyl peroxide:**

Partition coefficient: n-
octanol/water : log Pow: 3.46

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022221	Date of first issue: 20.07.2022

Mobility in soil

Product:

Mobility : Medium: Soil
Remarks: Do not allow product to reach ground water, water bodies or sewage system.

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging : Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3108
Proper shipping name : ORGANIC PEROXIDE TYPE E, SOLID (<52% DIBENZOYL PEROXIDE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2

IATA-DGR

UN/ID No. : UN 3108
Proper shipping name : Organic peroxide type E, solid (Dibenzoyl peroxide, paste, <52%)
Class : 5.2
Packing group : Not assigned by regulation
Labels : Organic Peroxides, Keep Away From Heat
Packing instruction (cargo aircraft) : 570
Packing instruction (passenger aircraft) : 570

IMDG-Code

UN number : UN 3108
Proper shipping name : ORGANIC PEROXIDE TYPE E, SOLID (<52% DIBENZOYL PEROXIDE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022221	Date of first issue: 20.07.2022

EmS Code : F-J, S-R
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3108
Proper shipping name : ORGANIC PEROXIDE TYPE E, SOLID (<52% DIBENZOYL PEROXIDE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2
Hazchem Code : 1W

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons : Schedule 5
Standard) Instrument

Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory
TSCA : All substances listed as active on the TSCA inventory
AIIC : On the inventory, or in compliance with the inventory
DSL : All components of this product are on the Canadian DSL

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022221	Date of first issue: 20.07.2022

ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
REACH	: Not in compliance with the inventory
TECI	: On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Revision Date	: 30.07.2024
Other information	: This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
Contact Point	: Prepared by: Global Regulatory Department EU-MSDS@hbfuller.com
Date format	: dd.mm.yyyy

Full text of other abbreviations

AU OEL	: Australia. Workplace Exposure Standards for Airborne Contaminants.
AU OEL / TWA	: Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA

SAFETY DATA SHEET

Version	Revision Date:	SDS Number:	Date of last issue: 20.07.2022
1.1	30.07.2024	100000022221	Date of first issue: 20.07.2022

- International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN