

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 29.08.2025

 1.3
 26.09.2025
 100000013180
 Date of first issue: 28.08.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : FLOORBOND XMS SUBFLOOR

Product code : 100000013180

Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone : 1800 033 111(AU) 0800 734 607(NZ)

Recommended use of the chemical and restrictions on use

Recommended use : Water based adhesive

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	
calcium carbonate	471-34-1	>= 50 -< 70	
stearic acid	57-11-4	>= 1 -< 5	



Version Revision Date: SDS Number: Date of last issue: 29.08.2025 Date of first issue: 28.08.2020 1.3 26.09.2025 100000013180

methanol	67-56-1	>= 0.1 -< 1
trimethoxyvinylsilane	2768-02-7	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

General advice If on clothes, remove clothes.

> Show this safety data sheet to the doctor in attendance. In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

If inhaled Remove person to fresh air. If signs/symptoms continue, get

medical attention.

In case of unconsciousness bring patient into stable side posi-

tion for transport.

Move to fresh air in case of accidental inhalation of vapours or

decomposition products.

In case of skin contact Wash off immediately with plenty of water.

Call a physician if irritation develops or persists.

Wash off with soap and water.

Get medical attention if irritation develops and persists.

Flush eyes with water at least 15 minutes. Get medical atten-In case of eye contact

tion if eye irritation develops or persists.

Flush eyes with water at least 15 minutes. Get medical atten-

tion if eye irritation develops or persists.

If swallowed Do NOT induce vomiting.

If accidentally swallowed obtain immediate medical attention.

If conscious, drink fresh water.

If conscious, drink plenty of water.

Never give anything by mouth to an unconscious person.

Consult a physician if necessary.

Most important symptoms and effects, both acute and

delayed

May cause damage to organs.

No further relevant information available. Notes to physician

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-



Version 1.3

Revision Date: 26.09.2025

SDS Number: 100000013180 Date of last issue: 29.08.2025 Date of first issue: 28.08.2020

cumstances and the surrounding environment.

Water mist Foam Dry powder

Carbon dioxide (CO2)

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Cool closed containers exposed to fire with water spray.

Hazardous combustion prod-

No hazardous combustion products are known

Specific extinguishing meth-

ods

This product is an aqueous mixture that will not burn. Dried

product film will burn in a fire.

In the event of fire, wear self-contained breathing apparatus. Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equipment :

for fire-fighters

No special protective measures against fire required.

Wear an approved positive pressure self-contained breathing

apparatus in addition to standard fire fighting gear.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: : tive equipment and emer-

gency procedures

Use personal protective equipment.

Ensure adequate ventilation.

Refer to protective measures listed in sections 7 and 8.

Environmental precautions

Try to prevent the material from entering drains or water

courses.

Dilute with much water.

Prevent product from entering drains.

Should not be released into the environment.

Methods and materials for containment and cleaning up Ensure adequate ventilation.

Send for recovery or disposal in suitable containers.



Version Revision Date: 1.3 26.09.2025

SDS Number: 100000013180

Date of last issue: 29.08.2025 Date of first issue: 28.08.2020

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Ventilate the area.

Soak up with inert absorbent material. Shovel into suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation : Use only with adequate ventilation.

Advice on protection against :

fire and explosion

In the event of fire and/or explosion do not breathe fumes.

Keep breathing equipment ready.

Have fire extinguishing equipment ready in case of nearby

fire.

Use only in area provided with appropriate exhaust ventilation.

Advice on safe handling : Avoid formation of aerosol.

Handle with care.

Keep eye wash bottle available on working place.

Keep out of reach of children.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Conditions for safe storage : Do not freeze.

Keep tightly closed in a dry and cool place. Keep container closed when not in use.

Protect against light.

Keep container tightly closed in a dry and well-ventilated

place.

Store in original container.

Materials to avoid : No special restrictions on storage with other products.

Do not store together with oxidizing and self-igniting products.

Further information on stor-

age stability

Stable under recommended storage conditions.

Protect from frost, heat and sunlight.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 29.08.2025

 1.3
 26.09.2025
 100000013180
 Date of first issue: 28.08.2020

		exposure)	concentration		
calcium carbonate	471-34-1	TWA	10 mg/m3	AU OEL	
		Further information: This value is for inhalable dust containing no asbestos and < 1% crystalline silica			
		TWA	10 mg/m3 (Calcium car- bonate)	AU OEL	
stearic acid	57-11-4	TWA	10 mg/m3	AU OEL	
methanol	67-56-1	STEL	250 ppm 328 mg/m3	AU OEL	
	Further inform	Further information: Skin absorption			
		TWA	200 ppm 262 mg/m3	AU OEL	
	Further inform	Further information: Skin absorption			

Engineering measures : Please take care on national and local requirements.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate risk management

measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recom-

mended exposure guidelines.

In case of brief exposure or low pollution (exceeding of TLV)

use breathing filter apparatus.

In case of intensive or longer exposure use breathing appa-

ratus that is independent of circulating air.

Filter type : Organic vapour type or equipment with better protection

Hand protection

Material : Protective gloves

Remarks : Direct contact with the product must be avoided by organiza-

tional measures.

The glove material has to be impermeable and resistant to

the product/the substance/the preparation.

The exact break through time can be obtained from the pro-

tective glove producer and this has to be observed.

The gloves need to be disposed after the penetration time

and replaced by new ones.

Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after

the work.



Version 1.3

Revision Date: 26.09.2025

SDS Number: 100000013180

Date of last issue: 29.08.2025 Date of first issue: 28.08.2020

Eye protection

Tightly fitting safety goggles or equipment with better protec-

tion

Skin and body protection

Protective clothing

Protective measures

Keep away from food, drink and animal feedingstuffs. Instantly remove any soiled and impregnated garments. Wash hands before breaks and immediately after handling

the product.

Avoid contact with the eyes and skin. Store protective clothing separately.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Color : tan

Odor : characteristic

Odor Threshold : is not determined

Melting point/freezing point : 0 °C

Boiling point/boiling range : 100 °C

Flash point : Not applicable

Evaporation rate : is not determined

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit / Upper

flammability limit

Upper flammability limit

is not determined

Lower explosion limit / Lower

flammability limit

Lower flammability limit

is not determined

Vapor pressure : 23 hPa (20 °C)

Relative vapor density : is not determined



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 29.08.2025

 1.3
 26.09.2025
 100000013180
 Date of first issue: 28.08.2020

Solubility(ies)

Water solubility : completely miscible

Partition coefficient: n-

octanol/water

no data available

Autoignition temperature : not self-igniting

is not determined

Decomposition temperature : Not applicable

Explosive properties : Not explosive

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No further relevant information available.

Chemical stability : No decomposition if used according to the specifications.

The product is chemically stable.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat may lead to dangerous pressure build-up in sealed con-

tainer.

Protect from frost.

Incompatible materials : No further relevant information available.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 20 mg/l

Exposure time: 4 Hours



Version 1.3

Revision Date: 26.09.2025

SDS Number: 100000013180

Date of last issue: 29.08.2025 Date of first issue: 28.08.2020

Test atmosphere: vapour Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Components:

trimethoxyvinylsilane:

Acute oral toxicity : LD50 Oral (Rat): 7,120 mg/kg

Acute inhalation toxicity : LC50 (Rat): 2780 ppm

Exposure time: 4 Hours Test atmosphere: vapour

Acute dermal toxicity : LD50: 3,540 mg/kg

Skin corrosion/irritation

Not classified due to lack of data.

Serious eye damage/eye irritation

Not classified due to lack of data.

Product:

Remarks : no data available

Respiratory or skin sensitization

Skin sensitization

Not classified due to lack of data.

Respiratory sensitization

Not classified due to lack of data.

Product:

Assessment : Does not cause skin sensitisation.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Not classified due to lack of data.

Reproductive toxicity

Not classified due to lack of data.



Version 1.3

Revision Date: 26.09.2025

SDS Number: 100000013180

Date of last issue: 29.08.2025 Date of first issue: 28.08.2020

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Components:

methanol:

Partition coefficient: n-

octanol/water

log Pow: -0.77

Mobility in soil

Product:

Mobility : Medium: Soil

Remarks: Do not allow product to reach ground water, water

bodies or sewage system.

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of with domestic refuse.

Do not dispose of waste into sewer.

The generation of waste should be avoided or minimized

wherever possible.

Hand over to disposers of hazardous waste.

Incineration under approved, controlled conditions using incinerators suitable or designed for the disposal of hazardous chemical wastes, is the preferred method for disposal. Disposal must be made according to official regulations.



Version Revision Date: 1.3 26.09.2025

SDS Number: 100000013180 Date of last issue: 29.08.2025 Date of first issue: 28.08.2020

To the best of our knowledge, this product does not meet the definition of hazardous waste. Solidify and dispose of in an approved landfill. Consult state, local or provincial authorities

for more restrictive requirements.

The hazard and precautionary statements displayed on the

label also apply to any residues left in the container.

Contaminated packaging Recommended cleaning agent: Water, if necessary with

cleaning agent.

Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ADG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons : No poison schedule number allocated

Standard) Instrument

Prohibition/Licensing Requirements quartz (SiO2)

> Refer to model WHS Act and Regulations for prohibition, authorisation

and restricted use.

The ingredients of this product are reported in the following inventories:



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 29.08.2025

 1.3
 26.09.2025
 100000013180
 Date of first issue: 28.08.2020

AIIC : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 26.09.2025

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

Contact Point : Prepared by: Global Regulatory Department AP-

regulatory@hbfuller.com

Date format : dd.mm.yyyy

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

AU OEL / TWA : Exposure standard - time weighted average AU OEL / STEL : Exposure standard - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. -Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative



Version Revision Date: SDS Number: Date of last issue: 29.08.2025 1.3 26.09.2025 100000013180 Date of first issue: 28.08.2020

and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN