

Version Revision Date: 1.2 25.09.2025

SDS Number: 100000013367

Date of last issue: 16.07.2025 Date of first issue: 31.08.2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 780 PLUMBERS GREY

Product code : 100000013367

Manufacturer or supplier's details

Company : H.B. Fuller Company Australia Pty. Ltd.

Address : 16-22 Red Gum Drive Dandenong South, VIC 3175

Telephone : +611800423855

Emergency telephone : 1800 033 111(AU) 0800 734 607(NZ)

Recommended use of the chemical and restrictions on use

Recommended use : Sealant

Restrictions on use : For industrial use only.

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin sensitisation : Category 1

GHS label elements

Hazard pictograms

Signal Word : Warning

Hazard Statements : H317 May cause an allergic skin reaction.

Precautionary Statements : Prevention:

P261 Avoid breathing dust.

P272 Contaminated work clothing should not be allowed out of

the workplace.



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.07.2025

 1.2
 25.09.2025
 100000013367
 Date of first issue: 31.08.2020

P280 Wear protective gloves.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P362 + P364 Take off contaminated clothing and wash it before

reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
calcium carbonate	471-34-1	>= 30 -< 50
Distillates (petroleum), hydrotreated middle	64742-46-7	>= 10 -< 30
butan-2-one O,O',O"-(methylsilylidyne)trioxime	22984-54-9	>= 1 -< 5
butan-2-one O,O',O"-(vinylsilylidyne)trioxime	2224-33-1	>= 0.1 -< 1

SECTION 4. FIRST AID MEASURES

General advice : If on clothes, remove clothes.

Show this safety data sheet to the doctor in attendance.

If inhaled : Remove person to fresh air. If signs/symptoms continue, get

medical attention.

In case of unconsciousness bring patient into stable side posi-

tion for transport.

In case of skin contact : Wash off immediately with plenty of water.

Call a physician if irritation develops or persists.

In case of eye contact : Flush eyes with water at least 15 minutes. Get medical atten-

tion if eye irritation develops or persists.

If swallowed : Do NOT induce vomiting.

If accidentally swallowed obtain immediate medical attention.

If conscious, drink fresh water.



Version 1.2

Revision Date: 25.09.2025

SDS Number: 100000013367

Date of last issue: 16.07.2025 Date of first issue: 31.08.2020

Most important symptoms and effects, both acute and

delayed

May cause an allergic skin reaction. May cause an allergic skin reaction.

Notes to physician : No further relevant information available.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Water mist Foam Dry powder

Carbon dioxide (CO2)

Specific hazards during fire

fighting

Cool closed containers exposed to fire with water spray.

Specific extinguishing meth-

ods

This product is an aqueous mixture that will not burn. Dried

product film will burn in a fire.

In the event of fire, wear self-contained breathing apparatus. Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment :

for fire-fighters

No special protective measures against fire required.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec: :

tive equipment and emer-

gency procedures

Use personal protective equipment.

Ensure adequate ventilation.

Environmental precautions : If the product contaminates rivers and lakes or drains inform

respective authorities. Dilute with much water.

Methods and materials for containment and cleaning up

: Ensure adequate ventilation.

up Send for recovery or disposal in suitable containers.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

SECTION 7. HANDLING AND STORAGE

Local/Total ventilation : Use only with adequate ventilation.



Version Revision Date: SDS Number: Date of last issue: 16.07.2025 1.2 25.09.2025 100000013367 Date of first issue: 31.08.2020

Advice on protection against

fire and explosion

In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit. Have fire extinguishing equipment ready in case of nearby

fire.

Advice on safe handling : Avoid formation of aerosol.

Handle with care.

Keep eye wash bottle available on working place.

Keep out of reach of children. Avoid release to the environment.

Conditions for safe storage : Do not freeze.

Keep container closed when not in use. Keep tightly closed in a dry and cool place.

Protect against light.

Materials to avoid : No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis	
		(Form of	ters / Permissible		
		exposure)	concentration		
calcium carbonate	471-34-1	TWA	10 mg/m3	AU OEL	
	Further information: This value is for inhalable dust containing no				
	asbestos and < 1% crystalline silica				
		TWA	10 mg/m3	AU OEL	
			(Calcium car-		
			bonate)		
Distillates (petroleum), hy-	64742-46-7	TWA (Mist)	5 mg/m3	AU OEL	
drotreated middle		. ,	_		
		TWA (Mist)	5 mg/m3	AU OEL	

Engineering measures : Please take care on national and local requirements.

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate risk management

measures (exhaust/ ventilation) are provided or exposure assessment demonstrates that exposures are within recom-

mended exposure guidelines.

In case of brief exposure or low pollution (exceeding of TLV)

use breathing filter apparatus.

In case of intensive or longer exposure use breathing appa-

ratus that is independent of circulating air.



Version Revision Date: SDS Number: Date of last issue: 16.07.2025 1.2 25.09.2025 100000013367 Date of first issue: 31.08.2020

Filter type : Organic vapour type or equipment with better protection

Hand protection

Material : Protective gloves

Remarks : Direct contact with the product must be avoided by organiza-

tional measures.

The glove material has to be impermeable and resistant to

the product/the substance/the preparation.

The exact break through time can be obtained from the protective glove producer and this has to be observed.

The gloves need to be disposed after the penetration time and replaced by new ones.

Apply skin protectant before working with gloves to avoid skin swellings and use a skin cleansing and skincare product after the work.

For the permanent contact gloves made of the following materials are suitable:

If longer exposure to the chemical preparation is necessary, a sturdy overglove against mechanical strain is recommended in combination with the Alphatec®/Barrier 02-100 PE-underglove from Ansell or other suppliers (penetration time: 480 min).

For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: Butyl rubber (minimum thickness: 0.7 mm; penetration time:

15 min)

As protection from splashes gloves made of the following materials are suitable:

Nitril (minimum thickness 0.12 mm), Disposable gloves with long cuffs

After contact with the chemical preparation, take the disposable nitrile glove off immediately and put on a new disposable nitrile glove.

Eye protection : Tightly fitting safety goggles or equipment with better protec-

tion

Skin and body protection : Protective clothing



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.07.2025

 1.2
 25.09.2025
 100000013367
 Date of first issue: 31.08.2020

Protective measures : Keep away from food, drink and animal feedingstuffs.

Instantly remove any soiled and impregnated garments. Wash hands before breaks and immediately after handling

the product.

Avoid contact with the eyes and skin. Store protective clothing separately.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : paste

Color : grey

Odor : characteristic

Odor Threshold : is not determined

Melting point/freezing point : 0 °C

Boiling point/boiling range : 100 °C

Flash point : Not applicable

Evaporation rate : is not determined

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit / Upper

flammability limit

Upper flammability limit

is not determined

Lower explosion limit / Lower

flammability limit

Lower flammability limit

is not determined

Vapor pressure : 23 hPa (20 °C)

Relative vapor density : is not determined

Density : 1.39 g/cm³

Solubility(ies)

Water solubility : completely miscible

Partition coefficient: n-

octanol/water

: no data available



Version Revisi 1.2 25.09.

Revision Date: 25.09.2025

SDS Number: 100000013367

Date of last issue: 16.07.2025 Date of first issue: 31.08.2020

Autoignition temperature :

: not self-igniting

Decomposition temperature

Not applicable

Explosive properties

Not explosive

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No further relevant information available.

Chemical stability : No decomposition if used according to the specifications.

Possibility of hazardous reac-

tions

No dangerous reaction known under conditions of normal use.

Conditions to avoid : Heat may lead to dangerous pressure build-up in sealed con-

tainer.

Protect from frost.

Incompatible materials : No further relevant information available.

Hazardous decomposition

products

No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Product:

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 Hours Test atmosphere: dust/mist Method: Calculation method

Components:

Distillates (petroleum), hydrotreated middle:

Acute inhalation toxicity : LC50 (Rat): 4.6 mg/l

Exposure time: 4 Hours Test atmosphere: vapour

Skin corrosion/irritation

Not classified due to lack of data.



Version 1.2

Revision Date: 25.09.2025

SDS Number: 100000013367

Date of last issue: 16.07.2025 Date of first issue: 31.08.2020

Serious eye damage/eye irritation

Not classified due to lack of data.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified due to lack of data.

Chronic toxicity

Germ cell mutagenicity

Not classified due to lack of data.

Carcinogenicity

Based on available data, the classification criteria are not met.

Product:

Remarks : Not classified

Carcinogenicity - Assess-

ment

: Not classifiable as a human carcinogen

Reproductive toxicity

Not classified due to lack of data.

STOT-single exposure

Not classified due to lack of data.

STOT-repeated exposure

Not classified due to lack of data.

Aspiration toxicity

Not classified due to lack of data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Distillates (petroleum), hydrotreated middle:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 35 mg/l

Exposure time: 96 Hours Method: flow-through test



Version Revision Date: 1.2 25.09.2025

SDS Number: 100000013367

Date of last issue: 16.07.2025 Date of first issue: 31.08.2020

Persistence and degradability

No data available

Bioaccumulative potential

Components:

butan-2-one O,O',O"-(methylsilylidyne)trioxime:

Partition coefficient: n- : log Pow: 0.59 - 0.65 (20 °C)

octanol/water GLP: no

butan-2-one O,O',O"-(vinylsilylidyne)trioxime:

Partition coefficient: n- : log Pow: 0.59 - 0.65 (20 °C)

octanol/water GLP: no

Mobility in soil

Product:

Mobility : Medium: Soil

Remarks: Do not allow product to reach ground water, water

bodies or sewage system.

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of with domestic refuse.

Do not dispose of waste into sewer.

The generation of waste should be avoided or minimized

wherever possible.

Hand over to disposers of hazardous waste.

Incineration under approved, controlled conditions using incinerators suitable or designed for the disposal of hazardous chemical wastes, is the preferred method for disposal. Disposal must be made according to official regulations.

Contaminated packaging : Recommended cleaning agent: Water, if necessary with

cleaning agent.

Disposal must be made according to official regulations.

SECTION 14. TRANSPORT INFORMATION

International Regulations



Version 1.2

Revision Date: 25.09.2025

SDS Number: 100000013367 Date of last issue: 16.07.2025 Date of first issue: 31.08.2020

UNRTDG

Not regulated as a dangerous good

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ADG

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard) Instrument

Therapeutic Goods (Poisons : No poison schedule number allocated

Prohibition/Licensing Requirements

There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regula-

tions.

The ingredients of this product are reported in the following inventories:

TCSI On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC On the inventory, or in compliance with the inventory

DSL All components of this product are on the Canadian DSL

NZIoC : On the inventory, or in compliance with the inventory

KECI On the inventory, or in compliance with the inventory



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.07.2025

 1.2
 25.09.2025
 100000013367
 Date of first issue: 31.08.2020

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TECI : On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 25.09.2025

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

This safety datasheet only contains information relating to safety and does not replace any product information or prod-

uct specification.

Contact Point : Prepared by: Global Regulatory Department AP-

regulatory@hbfuller.com

Prepared by: Global Regulatory Department AP-

regulatory@hbfuller.com

Date format : dd.mm.yyyy

Full text of other abbreviations

AU OEL : Australia. Workplace Exposure Standards for Airborne Con-

taminants.

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International



 Version
 Revision Date:
 SDS Number:
 Date of last issue: 16.07.2025

 1.2
 25.09.2025
 100000013367
 Date of first issue: 31.08.2020

Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. -Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States): UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods: vPvB - Very Persistent and Very Bioaccumulative: WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN